



Effective July 1, 2021

COMSTAR LIST PRICE

A global leader in providing green solutions for the professional



- A/C & Refrigeration
- Sprinkler Systems
- Indoor Air Quality
- Geothermal Heat Transfer Fluids
- Heating
- Plumbing
- Oils
- Precision & Mechanical Parts
- Transportation
- Exterior Surface Cleaners
- Personal Protection Products
- Terms and Conditions

PRODUCTS

Our pine tree symbol (in the pricelist) indicates those that are environmentally friendly. These products will not adversely affect or harm the air, water or ground, nor do they contain any chemicals currently listed as carcinogens or reproductive toxins.


ComStar International has created environmentally safe products for the professional for over 50 years.

Please email us at orders@comstarproducts.com, call us at 1-800-328-0142, or visit the sites below:

www.replacementforr22.com

www.comstarproducts.com

www.comstarpurelye.com



Contents

A/C & Refrigeration

	PAGE
Internal Coil Flushing Fluids	1
Exterior Condenser & Evaporator Coil Cleaners & Bright	1
Wasp & Hornet Killer Spray	1
Valuline Series Exterior Condenser & Evaporator Coil Cleaners	1
Acid Neutralizers, Removers and Test Kits	1
Exterior Coil Protection	1
Refrigerants	2
Hydrocarbon Service Refrigerants	2
A/C Stop Leak Repair & System Performance Boosters	2
External Leak Detectors	2
Mineral, POE Alkylbenzene Refrigeration Oils	2
Freeze Protection Testers	2
Propylene Glycol Chiller/Heat Transfer Fluids	2
Ethylene Glycol Chiller/Heat Transfer Fluids	2
Mechanical Equipment Cleaners & Degreasers	2
Descalers	4
Ice Machine Cleaners/Descalers	4
No Heat Solders & Epoxy Leak Sealants	4
Condensate Pan Products	4

Sprinkler Systems

Specialty Sprinkler & Chiller Fluids	5
--------------------------------------	---

Indoor Air Quality

Odor Control	5
--------------	---

Geothermal Heat Transfer Fluids

Geothermal Heat Transfer Fluids	6
Solar System Heat Transfer Fluids	6

Heating

Fuel Oil Products	6
Anti-Freeze Protection (Boiler Anti-Freeze)	6
Odor Control	7
Boiler System Treatments	7
Scale & Lime Deposit Removal	7
Refractory Cements & Glue	8
Leak Detectors	8
Soot Removers	8
Degreasers & Carbon Cleaners	8
Hand Cleaners	8

Plumbing

	PAGE
Drain & Waster Line System Cleaners	9
Scale & Lime Removers	9
Septic Tank & Cesspool Cleaners	9
"No Heat" Solder & Thread Locker	9
Flux & Pipe Soldering Coolant	10
Pipe Thread Sealants	10
Plastic Pipe Cement, Primers & Cleaners	10

Oils

Penetrating, Lubricating & Water Displacing Oils	10
--	----

Precision & Mechanical Parts

Cleaning Selection Guide	11
Precision & Mechanical Parts Cleaners	12-13

Transportation

Engine, Car & Truck Body Cleaners	13
Train & Bus Body Cleaners	13
Vinyl & Leather Interior Cleaner	13
Indoor Air Quality	13
Tire & Car Wash Cleaners	13
Tire Shine Products	13

Exterior Surface Cleaners

Masonry Cleaners	14
Masonry & Metal Cleaners	14
Paint Removers	14

Personal Protection Products

Hand Sanitizers	14
Hand Cleaners	14
Personal Face Masks	14
Disinfectant	14

Terms and Conditions

Payment terms	15
Shipping discounts & rates	15
Guarantee	15

ComStar List Price

Product Name	Bio-safe ▲	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
A/C & Refrigeration							
Internal Coil Flushing Fluids							
CF-20	▲	Cleans interior coils after burnouts or before retrofits. Award winning product.	90-500	1 gallon	4	47.36	189.42
			90-501	5 gallon	1	226.97	226.97
			90-502	55 gallon	1	2378.19	2378.19
CF-20 Quick Flush Injector		Reusable cylinder flush pump.	75-502	32 oz	1	222.00	222.00
CF-20 Dual Oil Pump		CF-20 & oil pump for 10 ton systems.	75-500	115v/60	1	436.06	436.06
CF-40		Flushes out interior coils of cascade systems.	90-503	1 gallon	4	68.25	273.01
			90-504	5 gallon	1	338.06	338.06
			90-505	55 gallon	1	3678.64	3678.64
Moisture Trap	▲	Eliminates moisture to sustain system.	90-318	4 oz	12	8.51	102.12
Exterior Condenser & Evaporator Coil Cleaners & Brighteners							
Foamy Coil	▲	Non-acid, foaming coil cleaner.	90-184	1 gallon	4	22.13	88.53
Coil Safe	▲	Non-acid, evaporator coil cleaner. Self rinsing. Green color.	90-299	1 quart	12	7.44	89.23
			90-298	1 gallon	4	19.65	78.59
			90-297	5 gallon	1	93.27	93.27
			90-296	55 gallon	1	961.41	961.41
Coil King	▲	Non-acid, foaming brightener & cleaner for condenser coils. Alkaline based with yellow color.	90-099	1 quart	12	7.44	89.23
			90-100	1 gallon	4	19.70	78.78
			90-102	5 gallon	1	92.15	92.15
			90-103	55 gallon	1	956.54	956.54
Coil King Powder	▲	Just add water. Yields 1 gallon.	90-110	18 oz	12	11.71	140.58
All Coil Cleaner	▲	Clean & deodorize coils, metal filters, registers & mechanical equipment. Safe, strong and effective.	90-180	1 gallon	4	25.54	102.18
			90-181	5 gallon	1	124.63	124.63
			90-182	55 gallon	1	1180.21	1180.21
Com Coil		Industry standard. Heavy duty foaming acid coil cleaner for condenser coils. Pink color.	90-149	1 quart	12	7.44	89.23
			90-150	1 gallon	4	21.38	85.51
			90-151	5 gallon	1	103.17	103.17
			90-152	55 gallon	1	1035.66	1035.66
Foamy Clean	▲	Foaming, but self rinsing coil cleaner.	55-099	16 oz aerosol	12	10.14	121.73
Grime Buster		Fast drying, powerful lemon scented coil cleaner for hard to reach places.	90-300	20 oz aerosol	12	10.48	125.77
			90-302	5 gallon	1	95.66	95.66
Micro Channel Power Clean	▲	Cleans micro channel coils without harming protective coatings.	90-120	16 oz aerosol	12	10.14	121.73
			90-121	1 gallon	4	24.78	99.10
			90-122	5 gallon	1	122.15	122.15
			90-123	55 gallon	1	1316.39	1316.39
Wasp & Hornet Killer Spray							
Real Kill		Wasp & hornet killer spray	90-380	15 oz aerosol	12	9.18	110.19
Valuline Series Exterior Condenser & Evaporator Coil Cleaners & Brighteners							
Foaming Non-Acid Coil Brightener & Cleaner	▲	Biodegradable, concentrated.	90-900	1 gallon	4	13.59	54.36
Condenser Coil Brightener & Cleaner		Acid-based, foaming. Strong, fast-acting & well priced.	90-920	1 gallon	4	14.52	58.08
Evaporator Coil Cleaner	▲	No rinse, non-toxic.	90-910	1 gallon	4	13.24	52.95
Acid Neutralizer, Remover and Test Kits							
Acid Out		Removes acid from system	90-310	4 oz	12	21.65	259.81
Acid Test Kit	▲	Detects harmful acid in A/C systems	90-311	4 tests per kit	12	15.99	191.92
Acid Spill Neutralizer Powder	▲	Neutralizes acidic waste water.	90-155	1.5 lb	12	5.83	70.00
Exterior Coil Protection							
Protecta Coat (clear or blue)		Seals coils, cabinets, and other against metals against corrosion & contaminants. Clear coating.	90-400	20 oz aerosol	12	19.25	230.96
			90-402	5 gallon	1	730.77	730.77
			90-403	55 gallon	1	7306.89	7306.89

Product Name	Bio-safe ▲	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
Refrigerants							
RS-24 (R426A)	▲	Replacement refrigerant for R-12.	80-100	30 lb cylinder	1	478.37	478.37
			80-101	125 lb cylinder	1	2145.83	2145.83
RS-44b (R453A)	▲	The closest R-22 replacement refrigerant. No retrofitting or oil replacement required. True drop-in replacement. Non-flammable.	80-160	24 lb cylinder	1	274.23	274.23
			80-161	125 lb cylinder	1	1552.48	1552.48
			80-162	1000 lb cylinder	1	12419.87	12419.87
RS-45 (R434A)	▲	R-22 replacement designed for flooded chillers and low temp applications. Non-flammable.	80-120	24 lb cylinder	1	321.15	321.15
			80-121	110 lb cylinder	1	1701.12	1701.12
			80-122	850 lb cylinder	1	12371.79	12371.79
RS-50 (R442A)	▲	R404A direct refrigerant replacement.	80-145	25 lb cylinder	1	296.47	296.47
			80-146	125 lb cylinder	1	1412.26	1412.26
			80-147	1000 lb cylinder	1	11217.95	11217.95
RS-51 (R470B) HFO	▲	R404A, R22, R507 replacement.	80-185	24 lb cylinder	1	550.00	550.00
			80-186	100 lb cylinder	1	2153.45	2153.45
			80-187	750 lb cylinder	1	17227.56	17227.56
RS-52 (R428A)	▲	Replaces R502/R22 low temp.	80-130	24.2 lb cylinder	1	477.56	477.56
RS-53 (R470A) HFO	▲	R410A replacement	80-180	24 lb cylinder	1	490.77	490.77
			80-181	100 lb cylinder	1	1812.90	1812.90
			80-182	750 lb cylinder	1	14503.21	14503.21
Hydrocarbon Service Refrigerants							
R290a Propane	▲	High purity, non-toxic, flammable.	80-050	14 oz can	12	12.74	152.88
R600a Isobutane	▲	High purity, non-toxic, flammable.	80-060	14 oz can	12	12.74	152.88
Piercing Valve		Punctures cans of R290a, R600a. 1 free in each case of 12 cans.	80-070	N/A	1	13.62	13.62
A/C Stop Leak Repair & System Performance Booster							
A/C Easy Pass	▲	Clears TEV & boosts performance.	90-725	4 oz	18	31.28	563.08
A/C Zero Leak	▲	Plugs refrigerant leaks.	90-700	4 oz	18	27.98	503.65
			90-704	5 gallon	1	1625.88	1625.88
A/C Zero Leak Tool Start Kit	▲	A/C Zero Leak & Reusable Injector.	90-701	Kit	1	77.50	77.50
Trace A Leak (Fluorescent)	▲	Internal system leak detector.	90-215	4 oz	12	13.59	163.08
External Leak Detectors							
Leak Seek HVAC Blue!	▲	Non-freezing, fast acting, long-lasting bubbles. Great for finding MICRO leaks.	90-208	quart spray	12	9.87	118.46
			90-209	1 gallon	4	37.88	151.54
			90-210	55 gallon	1	1875.13	1875.13
Leak Seek Yellow!	▲	Easy to see, fluorescent yellow, fast action, long-lasting bubbles.	90-203	8 oz	24	5.69	136.54
			90-204	quart spray	12	9.87	118.46
			90-205	1 gallon	4	37.88	151.54
Mineral, POE & Alkylbenzene Refrigeration Oils							
HFC Oil Coupler		Add to mineral/ AB oil for improved	45-850	8 oz	12	23.80	285.58
Refrigeration Oil (150 SUS)		Mineral Oil C-3/GS, 150 SUS	45-001	1 gallon	4	33.89	135.58
			45-002	5 gallon	1	166.57	166.57
			45-003	55 gallon	1	1758.41	1758.41
Refrigeration Oil (300 SUS)		Mineral Oil C-4/GS, 300 SUS	45-004	1 gallon	4	33.89	135.58
			45-005	5 gallon	1	166.57	166.57
			45-006	55 gallon	1	1758.41	1758.41
Polyol Ester Oil 32 (POE)	▲	For HVACR. 150 SUS Designed for use w. HFC refrigerants. Excellent thermal, oxidative, & hydrolytic stability.	45-019	1 quart	12	25.24	302.88
			45-007	1 gallon	4	90.95	363.78
			45-008	5 gallon	1	422.69	422.69
			45-009	55 gallon	1	4228.32	4228.32
Polyol Ester Oil 68 (POE)	▲	For A/C & Low Temp. 300 SUS Designed for use w. HFC refrigerants. Excellent thermal, oxidative, & hydrolytic stability.	45-020	1 quart	12	26.04	312.50
			45-010	1 gallon	4	98.56	394.23
			45-011	5 gallon	1	427.96	427.96
			45-012	55 gallon	1	4679.34	4679.34
Alkylbenzene Oil 150 SUS	▲	Recommended in all A/C refrigeration applications using CFC and HCFC	45-013	1 gallon	4	51.25	205.00
			45-014	5 gallon	1	253.70	253.70
			45-015	55 gallon	1	2762.50	2762.50
Alkylbenzene Oil 300 SUS		Excellent miscibility, thermal stability, and compatibility. Improves oil return.	45-016	1 gallon	4	51.25	205.00
			45-017	5 gallon	1	253.70	253.70
			45-018	55 gallon	1	2762.50	2762.50
Polyol Ester Oil - HMC	▲	Formulated for flooded systems with simple oil return mechanisms. Recommended for RS-45 (R434A)	45-105	1 gallon	4	136.22	544.87
			45-106	5 gallon	1	633.01	633.01
			45-107	55 gallon	1	6346.15	6346.15
Polyol Ester Oil - HE	▲	Ensures optimal compressor protection and better low temp fluidity in systems with advanced oil return	45-100	1 gallon	4	96.15	384.62
			45-101	5 gallon	1	456.73	456.73
			45-102	55 gallon	1	4759.62	4759.62
Freeze Protection Tester							
Freeze Free PG Hydrometer	▲	Measures Propylene Glycol protection.	35-742	8" dropper	1	11.84	11.84
Frost Free EG Hydrometer	▲	Measures Ethylene Glycol protection.	35-743	8" dropper	1	11.84	11.84

Product Name	Bio-safe	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
Propylene Glycol Chiller / Heat Transfer Fluids							
PG, 100% Food Grade - USP/EP	▲	Can be used directly in foods, feed and drugs or their containers.	35-800	5 gallon	1	213.56	213.56
Freeze Safe	▲	Industry standard HVACR anti-freeze with blue dye. Contains 80% propylene glycol.	35-713	55 gallon	1	2104.57	2104.57
Freeze Safe	▲	Industry standard HVACR anti-freeze with blue dye. Contains 80% propylene glycol.	35-760	1 gallon	4	24.68	98.72
Freeze Safe	▲	Industry standard HVACR anti-freeze with blue dye. Contains 80% propylene glycol.	35-761	5 gallon	1	121.33	121.33
Freeze Safe	▲	Industry standard HVACR anti-freeze with blue dye. Contains 80% propylene glycol.	35-762	55 gallon	1	1213.22	1213.22
ProFrost BI-100		PG 100%, blue dye & inhibitor	35-775	55 gallon	1	1296.39	1296.39
ProFrost 100 (contains 100% Propylene Glycol)	▲	Non-toxic propylene glycol. Use for thermal and heat transfer applications. No color, no inhibitor. Choice of the Pros.	35-714	5 gallon	1	126.52	126.52
ProFrost 70 (contains 70% Propylene Glycol)	▲		35-715	55 gallon	1	1201.84	1201.84
ProFrost 60 (contains 60% Propylene Glycol)	▲		35-844	5 gallon	1	108.89	108.89
ProFrost 60 (contains 60% Propylene Glycol)	▲		35-816	55 gallon	1	1076.84	1076.84
ProFrost 50 (contains 50% Propylene Glycol)	▲		35-840	5 gallon	1	104.09	104.09
ProFrost 50 (contains 50% Propylene Glycol)	▲		35-841	55 gallon	1	1031.97	1031.97
ProFrost 40 (contains 40% Propylene Glycol)	▲		35-808	5 gallon	1	92.87	92.87
ProFrost 40 (contains 40% Propylene Glycol)	▲		35-807	55 gallon	1	908.57	908.57
ProFrost 30 (contains 30% Propylene Glycol)	▲		35-842	5 gallon	1	78.45	78.45
ProFrost 30 (contains 30% Propylene Glycol)	▲		35-843	55 gallon	1	781.97	781.97
ProFrost I-100 (contains 100% Propylene Glycol)	▲	Non-toxic propylene glycol with corrosion inhibitor. No color. Use for thermal and heat transfer applications. Choice of the Pros.	35-720	5 gallon	1	129.73	129.73
ProFrost I-70 (contains 70% Propylene Glycol)	▲		35-721	55 gallon	1	1233.89	1233.89
ProFrost I-70 (contains 70% Propylene Glycol)	▲		35-860	5 gallon	1	110.50	110.50
ProFrost I-60 (contains 60% Propylene Glycol)	▲		35-861	55 gallon	1	1080.05	1080.05
ProFrost I-60 (contains 60% Propylene Glycol)	▲		35-825	5 gallon	1	105.69	105.69
ProFrost I-50 (contains 50% Propylene Glycol)	▲		35-826	55 gallon	1	1038.38	1038.38
ProFrost I-50 (contains 50% Propylene Glycol)	▲		35-758	5 gallon	1	94.47	94.47
ProFrost I-40 (contains 40% Propylene Glycol)	▲		35-759	55 gallon	1	913.38	913.38
ProFrost I-40 (contains 40% Propylene Glycol)	▲		35-711	5 gallon	1	81.65	81.65
ProFrost I-30 (contains 30% Propylene Glycol)	▲		35-712	55 gallon	1	788.38	788.38
ProFrost I-30 (contains 30% Propylene Glycol)	▲	35-749	5 gallon	1	70.43	70.43	
ProFrost I-30 (contains 30% Propylene Glycol)	▲	35-753	55 gallon	1	684.21	684.21	
ProFrost CI-100 (contains 100% Propylene Glycol)	▲	Non-toxic propylene glycol with neon green color and inhibitor. Use for thermal and heat transfer applications. Choice of the Pros.	35-723	5 gallon	1	136.14	136.14
ProFrost CI-70 (contains 70% Propylene Glycol)	▲		35-722	55 gallon	1	1296.39	1296.39
ProFrost CI-70 (contains 70% Propylene Glycol)	▲		35-870	5 gallon	1	110.50	110.50
ProFrost CI-60 (contains 60% Propylene Glycol)	▲		35-871	55 gallon	1	1084.86	1084.86
ProFrost CI-60 (contains 60% Propylene Glycol)	▲		35-827	5 gallon	1	107.29	107.29
ProFrost CI-50 (contains 50% Propylene Glycol)	▲		35-828	55 gallon	1	1044.79	1044.79
ProFrost CI-50 (contains 50% Propylene Glycol)	▲		35-838	5 gallon	1	94.47	94.47
ProFrost CI-40 (contains 40% Propylene Glycol)	▲		35-839	55 gallon	1	919.79	919.79
ProFrost CI-40 (contains 40% Propylene Glycol)	▲		35-751	5 gallon	1	83.25	83.25
ProFrost CI-35 (contains 35% Propylene Glycol)	▲		35-752	55 gallon	1	793.27	793.27
ProFrost CI-35 (contains 35% Propylene Glycol)	▲	35-813	5 gallon	1	76.84	76.84	
ProFrost CI-30 (contains 30% Propylene Glycol)	▲	35-814	55 gallon	1	741.91	741.91	
ProFrost CI-30 (contains 30% Propylene Glycol)	▲	35-770	5 gallon	1	72.04	72.04	
ProFrost CI-30 (contains 30% Propylene Glycol)	▲	35-771	55 gallon	1	689.02	689.02	
Ethylene Glycol Chiller / Heat Transfer Fluids							
Frost Free 100 (contains 100% Ethylene Glycol)		Ethylene glycol, concentrated or pre-mixed with water to dilution ratios. No Color, No Inhibitor	35-707	5 gallon	1	109.26	109.26
Frost Free 60 (contains 60% Ethylene Glycol)			35-708	55 gallon	1	1060.74	1060.74
Frost Free 60 (contains 60% Ethylene Glycol)			35-832	5 gallon	1	92.87	92.87
Frost Free 50 (contains 50% Ethylene Glycol)			35-833	55 gallon	1	928.69	928.69
Frost Free 50 (contains 50% Ethylene Glycol)			35-834	5 gallon	1	89.05	89.05
Frost Free 40 (contains 40% Ethylene Glycol)			35-835	55 gallon	1	864.58	864.58
Frost Free 40 (contains 40% Ethylene Glycol)			35-836	5 gallon	1	78.41	78.41
Frost Free 40 (contains 40% Ethylene Glycol)			35-837	55 gallon	1	784.05	784.05
Frost Free CI-Red 100 (contains 100% Ethylene Glycol)		With Red Color & Inhibitor	35-719	5 gallon	1	124.63	124.63
Frost Free CI-Red 60 (contains 60% Ethylene Glycol)			35-710	55 gallon	1	1181.78	1181.78
Frost Free CI-Red 60 (contains 60% Ethylene Glycol)			35-906	5 gallon	1	103.37	103.37
Frost Free CI-Red 50 (contains 50% Ethylene Glycol)			35-907	55 gallon	1	1035.18	1035.18
Frost Free CI-Red 50 (contains 50% Ethylene Glycol)			35-904	5 gallon	1	92.87	92.87
Frost Free CI-Red 40 (contains 40% Ethylene Glycol)			35-905	55 gallon	1	957.29	957.29
Frost Free CI-Red 40 (contains 40% Ethylene Glycol)			35-902	5 gallon	1	85.75	85.75
Frost Free I-100 (contains 100% Ethylene Glycol)		Ethylene Glycol with Inhibitor, No Color	35-903	55 gallon	1	854.12	854.12
Frost Free I-100 (contains 100% Ethylene Glycol)			35-716	1 gallon	4	39.98	159.94
Frost Free I-60 (contains 60% Ethylene Glycol)			35-717	5 gallon	1	115.46	115.46
Frost Free I-60 (contains 60% Ethylene Glycol)			35-718	55 gallon	1	1153.72	1153.72
Frost Free I-50 (contains 50% Ethylene Glycol)			35-830	5 gallon	1	99.28	99.28
Frost Free I-50 (contains 50% Ethylene Glycol)			35-831	55 gallon	1	992.79	992.79
Frost Free I-40 (contains 40% Ethylene Glycol)			35-809	5 gallon	1	89.66	89.66
Frost Free I-40 (contains 40% Ethylene Glycol)			35-802	55 gallon	1	956.63	956.63
Frost Free I-40 (contains 40% Ethylene Glycol)			35-799	5 gallon	1	78.41	78.41
Frost Free I-40 (contains 40% Ethylene Glycol)			35-801	55 gallon	1	784.05	784.05

Product Name	Bio-safe	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
Frost Free CI-Green 100 (contains 100% Ethylene Glycol)	▲	Ethylene Glycol with Neon Green Color & Inhibitor	35-900	5 gallon	1	126.28	126.28
	35-901		55 gallon	1	1190.02	1190.02	
Frost Free CI-Green 35 (contains 35% Ethylene Glycol)			35-803	5 gallon	1	86.54	86.54
	35-804		55 gallon	1	721.15	721.15	
Frost Free CI-Green 30 (contains 30% Ethylene Glycol)			35-805	5 gallon	1	78.45	78.45
	35-806		55 gallon	1	660.26	660.26	
Frost Free C-Green 100		100% Ethylene Glycol with Green Dye	35-899	5 gallon	1	113.78	113.78

Mechanical Equipment Cleaners & Degreasers

Grease Blaster	▲	Odorless, safe degreaser.	55-126	16 oz aerosol	12	10.48	125.77
Grease Away	▲	Water soluble, low odor power cleaner.	55-130	quart spray	12	10.63	127.50
			55-131	1 gallon	4	21.62	86.47
			55-132	5 gallon	1	110.45	110.45
			55-133	55 gallon	1	1136.96	1136.96
Contact Cleaner		Electric safe burnishing cleaner.	55-620	14 oz aerosol	12	9.29	111.54
Degrease 20+		Heavy duty, non-flammable fast evaporating degreaser.	90-305	1 gallon	4	90.71	362.82
			90-306	5 gallon	1	336.99	336.99
Grime Buster		Fast-drying for difficult areas.	90-300	16 oz aerosol	12	10.48	125.77
Foamy Clean	▲	Self-rinsing evaporator coil cleaner	55-099	16 oz aerosol	12	10.14	121.73
Super Fantastic Foam	▲	Heavy foam, condenser coil cleaner. USDA registered.	55-221	16 oz aerosol	12	10.48	125.77
			55-222	1 gallon	4	23.49	93.97
			55-223	5 gallon	1	102.85	102.85
			55-224	55 gallon	1	1214.94	1214.94
Super Grease Cutter	▲	Environmentally safe, dirt and grease stripper. USDA Registered.	55-121	16 oz aerosol	12	11.04	132.50
			55-122	1 gallon	4	32.93	131.73
			55-123	5 gallon	1	153.43	153.43
			55-124	55 gallon	1	1634.13	1634.13

Descalers

Plate HX Saver		Ultra safe descaler for flat plate heat exchangers	30-320	1 gallon	4	15.63	62.50
			30-321	5 gallon	1	70.11	70.11
Calci Gone		Heavy duty descaler with color code indicator to let you know when the job is done.	30-364	1 quart	12	7.40	88.85
			30-365	1 gallon	4	18.85	75.38
			30-366	5 gallon	1	92.26	92.26
Lime Dissolver		Scale remover for all boiler and water systems. Red color indicator.	30-350	1 quart	12	6.71	80.58
			30-345	1 gallon	4	16.78	67.12
			30-351	5 gallon	1	78.00	78.00
			30-352	55 gallon	1	786.47	786.47
Lime Dissolver "Plus"		Dissolves lime and scale without fumes. Green color.	30-355	1 quart	12	8.97	107.69
			30-360	1 gallon	4	22.13	88.53
			30-361	5 gallon	1	106.78	106.78
			30-362	55 gallon	1	1178.21	1178.21
Season Prep		Water tower and water cooled equipment descaler powder.	90-381	26 lb	2	181.49	362.98
			90-382	50 lb	1	330.05	330.05
Liquid Scale Inhibitor	▲	Long-lasting treatment in small cooling towers. Effective in hard or alkaline water.	90-375	1 gallon	4	27.63	110.51
			90-376	5 gallon	1	133.24	133.24
			90-377	55 gallon	1	1383.97	1383.97

Ice Machine Cleaners/ Descalers

Ice Machine Cleaner	▲	Food grade liquid to remove scale. Safe for stainless steel.	90-350	8 oz	12	5.83	70.00
			90-351	16 oz	12	7.61	91.35
			90-352	1 gallon	4	34.54	138.14
Nickel Safe	▲	Meets Manitowoc ice machine Spec. scale remover.	90-356	16 oz	12	7.82	93.85
			90-357	1 gallon	4	39.38	157.50
Ice Clean		Powdered ice machine descaler	90-365	4 oz	12	11.88	142.50

No Heat Solders & Epoxy Leak Sealant

Copper Lock	▲	No-heat, fast-bonding permanent solder for copper and brass pipes	10-800	2 oz	18	16.83	302.88
			10-801	10 ml	12	9.87	118.46
HVACR Metal Lock Black	▲	No-heat solder for ALL metals	10-900	2 oz	18	25.54	459.81
Metal Epoxy		Fast & easy crack & hole filler	00-200	25ml	12	12.96	155.58

Condensate Pan Products

Anti Clog	▲	Prevents bacteria & slime build up. Keeps drain lines open and clean. The Industry Standard.	90-659	1-3 Ton Units	24	8.00	191.92
			90-660	5 Ton Units	24	9.54	228.85
			90-661	15 Ton Units	12	15.37	184.42
Pan Pills	▲	Long-lasting treatment to prevent pan slime, clogs, odor. Just leave in pan.	90-319	110 grams	12	3.73	44.81
			90-320	376 grams	12	21.60	259.23
Pan Jelly	▲	Long-lasting slime preventer	90-325	4 oz	24	11.52	276.54
Condensate Pan Drain Opener	▲	Remove drain blockages fast.	90-315	1 quart	12	6.92	83.08
			90-316	1/2 gal	6	12.82	76.92

Product Name	Bio-safe	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
--------------	----------	-------------	-----------	------	---------------	--------------	----------------

Sprinkler Systems

Specialty Sprinkler & Chiller Fluids							
Fire Safe	▲	NFPA Standard. Glycerine anti-freeze for fire systems with CPVC.	35-765	5 gallon	1	95.56	95.56
			35-766	55 gallon	1	1004.55	1004.55
Sprinkler Safe	▲	NFPA Standard. Propylene Glycol anti-freeze for fire systems w/metal parts.	35-768	5 gallon	1	85.14	85.14
			35-769	55 gallon	1	928.01	928.01
Fire Pro Tech-50 (Glycerine 50%)	▲	Glycerine anti-freeze for CPVC sprinkler system. Pre-mixed.	35-763	5 gallon	1	169.05	169.05
			35-764	55 gallon	1	908.88	908.88
Fire Pro Tech-100 (Glycerine 100%)	▲	Glycerine anti-freeze for sprinkler system.	35-778	5 gallon	1	276.36	276.36
			35-779	55 gallon	1	1520.43	1520.43
Freeze Free PG Hydrometer	▲	Measures Propylene Glycol protection.	35-742	8" dropper	1	11.84	11.84
Frost Free EG Hydrometer	▲	Measures Ethylene Glycol protection.	35-743	8" dropper	1	11.84	11.84
PG/EG Corrosion Inhibitor	▲	Corrosion inhibitor additive.	35-702	1.5 lb	12	19.65	235.77
			35-703	55 gallon	1	477.04	477.04
Thread Locker	▲	Bonds and seals all metal threads.	10-808	2 oz	18	16.83	302.88
Lock Joint		Blue pipe thread sealant. Good for oil, gas, water, refrigerants, high temp. & pressure. Resin based.	10-614	2 oz tube	12	5.36	64.38
			10-615	1/4 pint	24	5.78	138.65
			10-625	1/2 pint	24	9.82	235.77
			10-630	1 pint	12	16.49	197.88

Indoor Air Quality

Odor Control							
Sweet Air Spray	▲	Deodorizes fuel odors. Cherry scented!	60-520	16 oz aerosol	12	9.62	115.38
Sweet Air Powder	▲	Best-selling, pleasant cherry scented. Absorbs fuel oil spills. Available in powder or pellets.	60-620	16 oz	12	8.57	102.88
			60-623	5 gallon	1	97.80	97.80
			60-622	55 gallon	1	978.00	978.00
Sweet Air Pellets	▲	Cherry scented, long lasting, absorbent pellets. Environmentally safe.	60-619	1.5 lb	12	7.39	88.65
			60-624	33 lb	1	89.13	89.13
Sweet Air Deodorizer	▲	Industrial strength liquid deodorizer. Strong & pleasant cherry scent.	05-050	5 gallon	1	75.18	75.18
			05-051	55 gallon	1	811.51	811.51
Dirty Sox	▲	Eliminates "dirty socks" odors from coils and humidifier filters. Long-lasting.	90-655	14 oz. aerosol	12	11.09	133.08
			90-656	1 gallon	4	49.44	197.76
			90-657	5 gallon	1	231.01	231.01
Odor Eliminator	▲	Spray on unwanted odors & fuel oil spill after clean-up to eliminate odors.	60-215	32 oz spray	12	14.81	177.69
			60-216	1 gallon	4	55.26	221.03
HVAC Odor Clean	▲	Cleans surfaces in AC units. Eliminate odors due to mold, grease & more.	90-650	32 oz	12	9.57	114.81
			90-651	1 gallon	4	36.51	146.03
Odor Bomb Combo Pack	▲	3 ea: cherry, orange, mint & pure air	60-635	8 oz gel cup	1	89.18	89.18
Duct Clean	▲	Designed for cleaning vents, registers and ducts. Enviro-safe. Heavy duty. No masking scent.	90-307	quart spray	12	9.57	114.81
			90-308	1 gallon	4	32.56	130.26
			90-309	5 gallon	1	148.03	148.03
Cherry Bomb	▲	Best selling, cherry scented gel cup.	60-621	8 oz gel cup	12	7.44	89.23
Orange Bomb	▲	Long-lasting orange scented gel cup.	60-625	8 oz gel cup	12	7.44	89.23
Orange Bomb Pellets	▲	Great for hard-to-rid odors, in pellet or powder form, orange scented.	60-626	1 lb pellets	12	7.44	89.23
Orange Bomb Powder	▲		60-627	1 lb powder	12	7.44	89.23
Orange Bomb Spray	▲	Orange scented, odor neutralizer spray	60-628	16 oz spray	12	8.94	107.31
Mint Bomb	▲	Eliminates unwanted odors.	60-630	8 oz gel cup	12	7.44	89.23
Mint Bomb Powder	▲	Long-lasting, pleasant scents. Great for hard to rid odors.	60-631	1 lb powder	12	7.44	89.23
			60-632	5 gallon	1	107.23	107.23
Pure Air	▲	Turns unwanted odors into pure smelling air. Long-lasting, non-masking scent.	60-225	8 oz gel	12	7.44	89.23
Pure Air Gel Tub	▲		60-226	4.5 lb gel tub	6	26.33	157.98
Pure Air Liquid	▲	Odor neutralizing liquid.	60-220	16 oz spray	12	8.78	105.38
			60-221	1 gallon	4	63.14	252.56
			60-234	5 gallon	1	278.45	278.45
			60-230	55 gallon	1	973.80	973.80
Pure Air Powder	▲	Neutralizing powder. Non-masking scent	60-222	1 lb powder	12	7.44	89.23
Pure Air Pellets	▲	Neutralizing pellets, odorless scent.	60-223	1 lb 5 oz	12	7.80	93.65

Product Name	Bio-safe ▲	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
Geothermal & Solar							
Geothermal Heat Transfer Fluids (HTF)							
Geothermal-PG	▲	Propylene glycol w/inhibitors & suspenders. Colored, non-toxic, biosafe.	01-170	5 gallon	1	145.18	145.18
			01-171	55 gallon	1	1537.80	1537.80
RTU Geothermal-PG	▲	Ready to use, premixed	01-310	5 gallon	1	75.24	75.24
		Geothermal PG formula.	01-311	55 gallon	1	693.19	693.19
Geothermal-M		Methanol w/inhibitors & particle suspenders. Flammable & toxic. Colorless.	01-159	5 gallon	1	74.20	74.20
			01-160	55 gallon	1	742.71	742.71
RTU Geothermal-M		Ready to use, premixed	01-300	5 gallon	1	49.44	49.44
		Geothermal M formula.	01-301	55 gallon	1	445.59	445.59
Geothermal-E	▲	Denatured ethanol w/inhibitors & suspenders. Colored, non-toxic, biosafe.	01-168	5 gallon	1	115.46	115.46
			01-167	55 gallon	1	1155.37	1155.37
RTU Geothermal-E	▲	Ready to use, premixed Geothermal-E.	01-305	5 gallon	1	69.25	69.25
			01-306	55 gallon	1	693.19	693.19
Solar System Heat Transfer Fluids (HTF)							
Solar ProFlow		Heat transfer fluid for solar panel systems. No dilution necessary.	01-175	5 gallon	1	79.23	79.23
			01-176	55 gallon	1	791.54	791.54

Heating

Fuel Oil Products							
Super Heat		Fuel oil & deisel treatment! Lowers pour point, controls waxing & jelling,	60-129	8 oz	24	7.05	169.23
			60-130	1 pint	24	8.93	214.23
		Eliminates ice, water, dissolves sludqe, melts ice. cleans the system. reduces soot by 50%.	60-145	1 gallon	6	55.63	333.75
			60-150	5 gallon	1	213.56	213.56
			60-160	55 gallon	1	2231.62	2231.62
BioFuel Treat		Eliminates and prevents contamination; cleans. Formulated for BioFuels.	60-120	8 oz	24	7.50	180.00
			60-122	1 gallon	4	66.33	265.32
			60-123	5 gallon	1	328.00	328.00
Ice Free		Works fast to dissolve ice, wax in iced & gelled fuel oil and diesel fuel.	60-175	16 oz	24	7.50	180.00
			60-176	5 gallon	1	285.21	285.21
			60-179	55 gallon	1	2864.62	2864.62
Sludge Solve		Shock treatment to remove sludge in fuel tanks	60-235	1 quart	24	12.53	300.77
			60-245	1 gallon	4	50.11	200.45
			60-250	5 gallon	1	196.47	196.47
			60-265	55 gallon	1	2114.17	2114.17
Water Absorber		Shock treatment to remove water. Water dispersant. Rids fuel oil of water.	60-330	1 pt	24	10.34	248.08
			60-335	1 quart	24	16.65	399.62
			60-345	1 gallon	4	62.36	249.42
			60-350	5 gallon	1	307.08	307.08
			60-365	55 gallon	1	3190.03	3190.03
Fuel Spill Sponge	▲	Biodegradable. Absorbs & turns oil to rubber mat for easy disposal.	60-205	8 oz	12	18.32	219.81
			60-206	10 lb	1	294.01	294.01
Safe! Bacterial Oil Spill Eater	▲	Enviro-safe bacteria consumes and disposes of oil spills	60-200	8.5 oz	12	11.60	139.23
			60-201	10 lb	1	184.41	184.41
Liquid Safe	▲	This oil spill cleaner is a bacterial & enzymatic blend formulated to degrade and decompose petroleum spills naturally for safe disposal.	60-203	32 oz	12	13.06	156.73
			60-204	1 gallon	4	45.10	180.38
			60-207	5 gallon	1	140.95	140.95
			60-208	55 gallon	1	1353.06	1353.06
Water Detecting Paste	▲	Shows the amount of water in fuel oil.	60-405	2 oz jar	24	5.83	140.00
			60-406	3 oz tube	24	7.00	168.08
Gas Level Indicator		Changes color to reveal gasoline level	60-408	2 oz. jar	24	5.83	140.00
Anti-Freeze Protection - Boiler Anti-Freeze							
Freeze Free -100° Polar	▲	Protects to -100° F in boilers, boats, solar heating systems & much more.	35-757	1 gallon	4	19.15	76.60
			35-755	5 gallon	1	51.20	51.20
		Non-toxic propylene glycol formula.	35-756	55 gallon	1	563.22	563.22
Freeze Free -100°	▲	Protects to -100° F. For systems w/ aluminum components.	35-725	1 gallon	4	22.36	89.42
			35-730	5 gallon	1	89.66	89.66
		Non-toxic propylene glycol formula.	35-740	55 gallon	1	840.87	840.87
Freeze Free -50°	▲	Protects to -50° F. For systems w/ aluminum components.	35-724	1 gallon	4	20.75	83.01
			35-729	5 gallon	1	80.05	80.05
		Non-toxic propylene glycol formula.	35-739	55 gallon	1	780.05	780.05
PG/EG Corrosion Inhibitor	▲	Corrosion inhibitor additive.	35-702	1.5 lb	12	19.65	235.77
			35-703	55 gallon	1	477.04	477.04
RV Grade Freeze Free	▲	Non-toxic anti-freeze for mobile homes.	35-741	1 gallon	4	10.32	41.27
			35-744	5 gallon	1	255.61	255.61
			35-746	55 gallon	1	546.47	546.47

Product Name	Bio-safe	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
Freeze Free PG Hydrometer	▲	Measures Propylene Glycol protection.	35-742	8" dropper	1	11.84	11.84
Frost Free EG Hydrometer	▲	Measures Ethylene Glycol protection.	35-743	8" dropper	1	11.84	11.84
Odor Control							
Sweet Air Spray	▲	Deodorizes fuel odors. Cherry scent	60-520	16 oz aerosol	12	9.62	115.38
Sweet Air Powder	▲	Pleasant cherry scent.	60-620	16 oz	12	8.57	102.88
		absorbs fuel oil spills with ultra absorbent powder. Best seller.	60-623	5 gallon	1	97.80	97.80
			60-622	55 gallon	1	978.01	978.01
Sweet Air Pellets	▲	Cherry scented pellets for oil absorption. Does not create dust.	60-619	1.5 lb	12	7.39	88.65
			60-624	33 lb	1	89.13	89.13
Sweet Air Deodorizer	▲	Industrial strength liquid deodorizer. Strong & pleasant cherry scent.	05-050	5 gallon	1	75.18	75.18
			05-051	55 gallon	1	811.51	811.51
Cherry Bomb	▲	Best selling, cherry scented gel cup.	60-621	8 oz gel cup	12	7.44	89.23
Orange Bomb	▲	Long-lasting orange scented gel cup.	60-625	8 oz gel cup	12	7.44	89.23
Orange Bomb Pellets	▲	Great for hard-to-rid odors, in pellet or powder form, orange scented.	60-626	1 lb pellets	12	7.44	89.23
Orange Bomb Powder	▲		60-627	1 lb powder	12	7.44	89.23
Orange Bomb Spray	▲	Orange scented, odor neutralizer spray	60-628	16 oz spray	12	8.94	107.31
Mint Bomb	▲	Eliminates unwanted odors.	60-630	8 oz gel cup	12	7.44	89.23
Mint Bomb Powder	▲	Long-lasting, pleasant mint scent. Great for hard to rid odors.	60-631	1 lb powder	12	7.44	89.23
			60-632	5 gallon	1	1286.73	1286.73
Pure Air	▲	Turns unwanted odors into pure smelling air. Long-lasting with a non-masking scent.	60-225	8 oz gel	12	7.44	89.23
Pure Air Gel Tub	▲		60-226	4.5 lb gel tub	6	26.33	157.98
Pure Air Spray	▲		60-220	16 oz spray	12	8.78	105.38
Pure Air Powder	▲	Neutralizing powder. Non-masking scent	60-222	1 lb powder	12	7.44	89.23
Pure Air Pellets	▲	Neutralizing pellets, odorless scent.	60-223	1 lb 5 oz	12	7.80	93.65
Pure Air Liquid	▲	Eliminates odors and cleans up spills. Leaves a mild scent.	60-221	1 gallon	4	63.14	252.56
			60-234	5 gallon	1	117.88	117.88
			60-230	55 gallon	1	973.80	973.80
Odor Eliminator	▲	Spray on fuel oil spill after clean-up to eliminate odors.	60-215	32 oz spray	12	14.81	177.69
			60-216	1 gallon	4	55.26	221.03
Boiler System Treatments							
Boiler Treatment	▲	Cleans boiler water, corrects pH. Contains blue indicator.	35-135	1 quart	24	7.60	182.31
			35-145	1 gallon	4	24.86	99.42
			35-150	5 gallon	1	113.96	113.96
			35-160	55 gallon	1	1194.26	1194.26
Boiler System Cleaner	▲	Cleans new and old systems.	35-200	1 lb	12	7.80	93.65
Steam Clean	▲	Stops priming and surging.	35-213	8 oz	12	14.95	179.42
Air Gone	▲	Removes air from hydronic systems.	35-340	1/2 gal	6	9.78	58.65
			35-341	1 gallon	4	18.25	73.01
Hydro Lax	▲	Hydronic system cleaner.	35-335	1 quart	24	12.84	308.08
Hydro Seal	▲	Leak sealer for hydronic system.	35-338	16 oz	12	7.44	89.23
Liquid Plug	▲	Seals boiler leaks.	40-135	1 quart	24	10.34	248.08
Boiler Seal Powder	▲	Powdered boiler leak-sealer. No odor	40-222	14 oz	12	12.56	150.77
Scale & Lime Deposit Removal							
Plate HX Saver		Ultra safe descaler for flat plate heat exchangers	30-320	1 gallon	4	15.63	62.50
			30-321	5 gallon	1	70.11	70.11
Lime Dissolver		Descaler for interior water system pipes.	30-350	1 quart	12	6.71	80.58
			30-345	1 gallon	4	16.78	67.12
			30-351	5 gallon	1	78.00	78.00
			30-352	55 gallon	1	845.66	845.66
Boil A Coil		External hot water coil descaler & cleaner.	35-423	16 oz	12	9.78	117.31
			35-424	5 gallon	1	286.12	286.12
Lime Dissolver "Plus"		Dissolves lime and scale in water pipes without fumes.	30-355	1 quart	12	8.97	107.69
			30-360	1 gallon	4	22.13	88.53
			30-361	5 gallon	1	106.78	106.78
			30-362	55 gallon	1	1178.21	1178.21
Lime Dissolver + Indicator		Lime Dissolver w/color & inhibitor.	30-363	5 gallon	1	110.63	110.63
Descaler Plus for Tankless Water Heater		Tankless water heater descaler. Odorless & color coded.	30-370	1 quart	12	9.66	115.96
			30-371	1 gallon	4	32.20	128.78

Product Name	Bio-safe ▲	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
Refractory Cements & Glue							
Furnace Cement	▲	Original, 50 year old formula!	40-355	1 pt	24	5.79	138.85
		Non-freezing, non-sagging	40-360	1 quart	12	7.55	90.58
		furnace/retort cement. Creamy formula	40-365	1/2 gal	6	13.22	79.33
		for a smooth application.	40-370	1 gallon	4	20.75	83.01
		Provides 3000° F protection.	40-371	1 gallon	2	20.03	40.06
		One of ComStar's best selling products.	40-375	2 gal	1	37.26	37.26
			40-377	5 gallon	1	95.56	95.56
Water Glass Glue	▲	High temperature chamber glue designed for refractory chambers.	40-409	8 oz	24	2.47	59.23
			40-410	1 quart	12	6.92	83.08
			40-415	1/2 gal	6	10.35	62.12
			40-417	5 gallon	1	88.83	88.83
Leak Detectors							
Leak Seek HVAC Blue	▲	Non-freezing, fast acting, long-lasting bubbles. Great for finding MICRO leaks.	90-208	quart spray	12	9.87	118.46
			90-209	1 gallon	4	37.88	151.54
			90-210	55 gallon	1	1875.13	1875.13
Leak Seek Yellow!	▲	Easy to see, fluorescent yellow, fast action, long-lasting bubbles.	90-203	8 oz	24	5.69	136.54
			90-204	quart spray	12	9.87	118.46
			90-205	1 gallon	4	37.88	151.54
			90-207	55 gallon	1	1599.39	1599.39
Soot Removers							
Soot Cleaner Spray		Soot will burn off at lower temp.	35-620	16 oz aerosol	12	10.24	122.88
Soot Broom		Removes soot & creosole - apply on fire.	35-700	18 oz	12	8.46	101.54
Chem Vac Sticks	▲	Easy sticks removes soot from furnaces.	35-515	114 grams	48	1.67	80.00
Chem Vac Sticks and Bucket	▲	48 Chem Vac sticks/15 lb. reusable pail	35-516	1 pail	1	89.35	89.35
Degreasers & Carbon Cleaners							
Spritz	▲	Heavy duty industrial oil, grease & carbon cleaner.	55-105	quart spray	12	10.63	127.50
			55-112	1 gallon	4	21.91	87.63
			55-114	5 gallon	1	107.12	107.12
			55-115	55 gallon	1	1163.25	1163.25
Grease Away	▲	Low odor, heavy duty mechanical parts degreaser.	55-130	quart spray	12	10.63	127.50
			55-131	1 gallon	4	21.62	86.47
			55-132	5 gallon	1	110.45	110.45
			55-133	55 gallon	1	1136.96	1136.96
Foamy Clean	▲	Foaming, self rinsing coil cleaner.	55-099	16 oz aerosol	12	10.14	121.73
Super Fantastic Foam	▲	USDA registered, self-rinsing aerosol.	55-221	16 oz aerosol	12	10.48	125.77
SFF-50	▲	Heavy duty, foaming degreaser.	55-222	1 gallon	4	23.49	93.97
			55-223	5 gallon	1	102.85	102.85
			55-224	55 gallon	1	1214.94	1214.94
Super Grease Cutter	▲	USDA registered, self-rinsing, heavy duty, biodegradable mechanical parts degreaser.	55-121	16 oz aerosol	12	11.04	132.50
			55-122	1 gallon	4	32.93	131.73
			55-123	5 gallon	1	153.43	153.43
			55-124	55 gallon	1	1634.13	1634.13
Grease Cut		Quick drying degreaser.	55-120	20 oz aerosol	12	10.48	125.77
Grease Blaster		Self-rinsing, no odor degreaser	55-126	18 oz aerosol	12	10.48	125.77
Perch		Non-flammable degreaser.	55-545	1 gallon	4	70.90	283.59
Contact Cleaner		Burnishing cleaner degreaser.	55-620	16 oz aerosol	12	9.29	111.54
Glass Like New	▲	Ammonia free industrial glass clnr.	02-150	19 oz aerosol	12	6.39	76.73
Hand Cleaners							
Quick Clean Lotion Formula	▲	Heavy duty citrus gel, waterless hand cleaner.	50-224	16 oz w/spout	12	6.81	81.73
			50-225	1 gallon	4	27.16	108.65
Quick Clean with Pumice	▲	Quick clean with pumice for added hand scrubbing power.	50-226	16 oz w/spout	12	6.60	79.23
			50-227	1 gallon	4	28.77	115.06

Product Name	Bio-safe ▲	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
--------------	---------------	-------------	-----------	------	------------------	-----------------	-------------------

Plumbing

Drain & Waste Line System Cleaners

Hot Power		Sulfuric acid drain cleaner.	30-135	1 quart	12	8.24	98.85
		Pro's choice for decades. Contains corrosion inhibitor to protect pipes.	30-140	1/2 gal.	6	15.43	92.60
			30-145	1 gallon	4	28.35	113.40
Blow Out	▲	Non-acid, heavy duty drain cleaner.	30-475	1 quart	12	5.54	66.54
			30-480	1/2 gal.	6	8.94	53.65
Piranha - flakes	▲	Drain opener flakes. Dilute to any strength. Non-acid. Safe in all pipes	30-599	1 lb	12	6.65	79.81
			30-600	2 lb	12	12.26	147.12
			30-601	17 lb	1	67.66	67.66
Piranha II - flakes + aluminum chips	▲	Drain opener beads with aluminum chips for cold water applications.	30-604	1 lb	12	6.54	78.46
			30-603	17 lb	1	78.00	78.00
			30-605	50 lb	1	233.03	233.03
Pure Lye Beads	▲	Unique white beads dissolve grease, hair & more. Odorless, non-acidic, very strong. Dissolves evenly when used for soap making. An industrial favorite.	30-500	1 lb	12	6.30	75.58
			30-503	20 lb pail	1	57.69	57.69
			30-501	50 lb pail	1	134.97	134.97
			30-502	400 lb drum	1	1016.51	1016.51
Pure Lye Flakes	▲	Pure "Flake" bead drain opener.	30-525	1 lb	12	6.57	78.85
		A favorite among soapmakers too.	30-527	17 lb pail	1	62.64	62.64
		The flakes do not produce static as with other lye products.	30-528	43 lb pail	1	148.48	148.48
			30-529	400 lb drum	1	1071.27	1071.27
Commercial Lye	▲	Beads with blue dye.	30-620	2 lb	12	11.97	143.65
Munch - beads	▲	Easy to pour and detect. Heats up.	30-610	1 lb	12	6.30	75.58
		With aluminum chips and blue dye.	30-612	50 lb	1	128.77	128.77
Plumber's Plunger	▲	Non-acid, liquid drain opener.	30-700	1 quart	12	6.01	72.12
			30-710	1/2 gallon	6	6.65	39.90
Shiny Bowl	▲	Cleans bowls effortlessly.	30-705	1 quart	12	5.43	65.19

Scale & Lime Removers

Lime Dissolver		Dissolves concrete in floor drains and removes calcium deposits. With color indicator.	30-350	1 quart	12	6.71	80.58
			30-345	1 gallon	4	16.78	67.12
			30-351	5 gallon	1	78.00	78.00
			30-352	55 gallon	1	845.66	845.66
Lime Dissolver "Plus"		Dissolves lime and scale without fumes. Green color.	30-355	1 quart	12	8.97	107.69
			30-360	1 gallon	4	22.13	88.53
			30-361	5 gallon	1	106.78	106.78
			30-362	55 gallon	1	1144.07	1144.07
Calci Gone		Heavy duty descaler with color code indicator to let you know when the job is done.	30-364	1 quart	12	7.40	88.85
			30-365	1 gallon	4	18.85	75.38
			30-366	5 gallon	1	92.26	92.26

Septic Tank & Cesspool Cleaners

Micro Surge	▲	Increases bacteria growth.	30-720	18 oz	12	10.35	124.23
Septic Tank & Cesspool Cleaner	▲	Crystals liquefy waste in septic tank systems and cesspools.	30-648	5 lb	6	20.72	124.33
			30-650	17 lb	1	63.14	63.14
Septic Soap Digester	▲	Fast-acting soap liquefier.	30-655	1 quart	12	9.38	112.50
			30-656	1 gallon	4	20.67	82.69
Kleer Out	▲	Liquid clears cesspools & drain lines.	30-235	1 quart	12	8.29	99.42
			30-245	1 gallon	4	28.75	115.00

"No Heat" Solder & Thread Locker

Copper Lock	▲	No-heat, fast bonding solder for copper and brass.	10-800	2 oz	18	16.83	302.88
			10-801	10 ml	12	9.87	118.46
HVACR Metal Lock Black	▲	No-heat solder for ALL metals	10-900	2 oz	18	25.54	459.81
Metal Epoxy	▲	Fast & easy crack & hole filler	00-200	25 ml	12	12.96	155.58
Thread Locker	▲	Bonds all metal threads.	10-808	2 oz	18	16.83	302.88























Product Name	Bio-safe ▲	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
Flux & Pipe Soldering Coolant							
Pipe Cool	▲	Gel cools pipes for soldering.	15-130	quart spray	12	12.84	154.04
Perma Flux		Self-cleaning flux.	15-115	8 oz	12	5.21	62.50
			15-117	16 oz	24	8.00	191.92
Pipe Thread Sealants							
Multi Seal		White, teflon, non-hardening pipe thread sealant.	10-315	1/4 pint	24	7.84	188.17
			10-325	1/2 pint	12	13.86	166.35
			10-330	1 pint	12	23.03	276.35
			10-335	1 quart	12	42.44	509.23
Lock Joint		Blue pipe thread sealant. Good for oil, gas, water, refrigerants, high temp. & pressure. Resin based.	10-614	2 oz tube	12	5.37	64.42
			10-615	1/4 pint	24	5.79	138.85
			10-625	1/2 pint	12	9.82	117.88
			10-630	1 pint	12	16.49	197.88
Plastic Pipe Cement, Primers & Cleaners							
PVC Cement Clear		Fast-setting, med. viscosity, high strength cement. Recommended for ABS, CPVC, PVC pipe.	20-115	1/4 pint	24	2.93	70.38
			20-125	1/2 pint	24	4.36	104.62
			20-130	1 pint	12	6.92	83.08
			20-135	1 quart	12	11.70	140.38
			20-145	1 gallon	6	41.27	247.60
All Purpose Cleaner/Solvent		For ABS, CPVC & PVC pipe.	20-715	1/4 pint	24	4.02	96.54
			20-725	1/2 pint	24	5.29	126.92
			20-730	1 pint	12	7.26	87.12
			20-735	1 quart	12	10.16	121.92
CPVC-PVC Primer (Purple)		High tech primer that cuts gloss for a better bond.	20-615	1/4 pint	24	3.35	80.38
			20-625	1/2 pint	24	5.98	143.46
			20-630	1 pint	12	9.39	112.69
			20-635	1 quart	12	13.94	167.31

Oils

Penetrating, Lubricating & Water Displacing Oils							
Monkey Wrench		Loosens rusted nuts.	45-120	14 oz aerosol	12	8.65	103.85
Lube Tube		Lubricating oil with telescopic spout.	45-315	4 oz	24	4.41	105.77
Silicone Spray		Stops squeaks. Lubricates.	45-810	12 oz aerosol	12	9.33	111.92
Faucet & Valve Stem Lubricant	▲	Lasting and waterproof.	45-900	4 oz	12	5.13	61.54
Electric Motor Oil	▲	Non-detergent motor oil. SAE 20	45-425	8 oz	24	5.54	133.08
			45-430	1 pint	24	8.67	208.08
			45-435	1 quart	24	16.22	389.23
			45-440	1 gallon	4	54.62	218.46
Bearing Assembly Oil	▲	Prevents gumming, SAE 20	45-525	8 oz	24	4.62	110.77
			45-530	1 pint	24	7.20	172.69
			45-535	1 quart	24	11.67	280.00
			45-540	1 gallon	4	36.28	145.13
Oil In One - Dark Cutting Oil	▲	All purpose thread cutting oil for machine & hand cutting. Dark color. Industry Standard	45-635	1 quart	12	16.43	197.12
			45-645	1 gallon	6	56.04	336.25
			45-650	5 gallon	1	272.28	272.28
			45-665	55 gallon	1	2776.44	2776.44
Oil In One - Clear Cutting Oil	▲	All purpose thread cutting oil for machine & hand cutting. Clear color. Industry Standard	45-735	1 quart	12	16.43	197.12
			45-745	1 gallon	6	56.04	336.25
			45-750	5 gallon	1	272.28	272.28
			45-765	55 gallon	1	2776.44	2776.44
Vacuum Pump Oil	▲	High grade SAE 20 wt. with anti-wear package. (Other SAE weights available.)	45-785	1 quart	12	10.98	131.73
			45-790	1 gallon	4	32.93	131.73
			45-795	55 gallon	1	1245.08	1245.08

Precision & Mechanical Parts

Cleaning Selection Guide

Article Cleaned	Soil Removed	Cleaning Method	Cleaner	pH
<p>Ferrous Metals</p> <p>Bearings Metal Housings Gear Box/ Components Brake Components Metal Components Metal Parts Engine Parts Motor Armature Train Boggy</p> 	 <ul style="list-style-type: none"> • Greases • Oils • Grime build-up • Oxidation • General soiling • Carbon 	<p>1. Manual, soak, clean-in-place</p>  <p>2. Ultrasonic</p>  <p>3. Powerwash, jetspray</p> 	<p>1. All Clean Grease Away Green Clean Power Clean Mo Clean Spritz SFF-10 Boggy Clean</p> <p>2. Ultra Clean Green Clean</p> <p>3. Metal Clean Super Clean Power Clean Zip Clean - 100 Boggy Clean</p>	<p>6 12 10 10 10 5 9 13 9 10 2 9 10 10 12 13</p>
<p>Aluminum</p> <p>All parts & components made of or containing aluminum.</p> 	<ul style="list-style-type: none"> • Greases • Oils • Grime • General soiling • Carbon 	<p>All cleaning methods</p> 	<p>Super Clean Power Clean Mo Clean Ultra Clean Green Clean SFF-10AL</p>	<p>9 10 10 10 10 10</p>
<p>Ceramic</p> <p>All parts & components made of or containing ceramic.</p> 	<ul style="list-style-type: none"> • General soiling & stains • Oil • Carbon 	<p>All cleaning methods</p> 	<p>Renew Sky Blue SFF-10 TB</p>	<p>4 5 4</p>
<p>Plastic</p> <p>All parts & components made of or containing plastic.</p> 	<ul style="list-style-type: none"> • General soiling & stains • Oil • Grime 	<p>All cleaning methods</p> 	<p>KymKare KymKare-Plus Green Clean</p>	<p>10 10 10</p>
<p>Painted Parts</p> <p>Heavy duty cleaning without removing paint.</p>  <p>Note: For paint stripping use ComStar Paint Strip or ComStar Paint Remover</p>	<ul style="list-style-type: none"> • Greases • Oils • Carbon • Grime • General soiling 	<p>1. Manual, soak, clean-in-place</p>  <p>2. Ultrasonic</p>  <p>3. Powerwash, jetspray</p> 	<p>1. Sky Blue SFF-20 Green Clean Power Clean Mo Clean</p> <p>2. Ultra Clean</p> <p>3. Super Clean Power Clean Zip Clean Boggy Clean</p>	<p>5 9 10 10 10 9 9 10 13 13</p>
<p>Glass</p> <p>Glass parts, lenses. Train, plane & truck windows.</p> 	<ul style="list-style-type: none"> • Oils • Acid rain stains • General soiling 	<p>Manual, soak, clean-in-place</p> 	<p>Sky Blue Ultra Clean Glass Like New! Windshield Wash Fluid</p>	<p>5 9 7 7</p>

Product Name	Bio-safe ▲	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
Precision & Mechanical Parts Cleaners							
SFF-20	▲	Heavy duty, mechanical parts cleaner. Low-foam, safe on all surfaces.	55-300	1 gallon	4	38.55	154.22
			55-301	5 gallon	1	183.28	183.28
			55-302	55 gallon	1	1835.31	1835.31
All Clean	▲	Non-flammable, odorless, metal parts cleaner.	55-058	1 gallon	4	42.71	170.83
			55-023	5 gallon	1	190.08	190.08
			55-025	55 gallon	1	1901.46	1901.46
Power Clean	▲	Heavy duty, water soluble, jet spray machine parts cleaner.	55-033	1 gallon	4	23.68	94.71
			55-032	5 gallon	1	117.91	117.91
			55-034	55 gallon	1	1117.69	1117.69
Super Clean	▲	Water soluble, mild alkaline parts cleaner for aluminum.	55-011	1 gallon	4	25.97	103.88
			55-012	5 gallon	1	134.62	134.62
			55-013	55 gallon	1	902.05	902.05
Zip Clean	▲	Jet spray machine or dip cleaner for non-aluminum parts	55-004	1 gallon	4	30.74	122.95
			55-005	5 gallon	1	146.46	146.46
			55-021	55 gallon	1	1466.08	1466.08
Zip Clean 100	▲	HD jet spray machine or dip cleaner for metal parts.	55-000	1 gallon	4	24.48	97.91
			55-003	5 gallon	1	111.25	111.25
			55-009	55 gallon	1	1113.77	1113.77
Ultra Clean	▲	Water soluble, mild alkaline cleaner for ultrasonic machine	55-014	1 gallon	4	25.97	103.88
			55-017	5 gallon	1	119.00	119.00
			55-018	55 gallon	1	1190.69	1190.69
Neutra Clean	▲	Neutral pH industrial parts cleaner	55-135	5 gallon	1	79.15	79.15
Spritz	▲	Heavy duty industrial oil, grease & carbon cleaner.	55-105	1 quart w/spray	12	10.20	122.40
			55-112	1 gallon	4	21.03	84.12
			55-114	5 gallon	1	102.83	102.83
			55-115	55 gallon	1	1116.72	1116.72
SFF-10 TB	▲	Water soluble, heavy duty exterior train and bus cleaner.	55-226	1 gallon	4	38.55	154.22
			55-227	5 gallon	1	183.28	183.28
			55-228	55 gallon	1	1859.11	1859.11
SFF-10 (Water Soluble)	▲	Neutral pH, exterior train and bus body cleaner.	55-230	5 gallon	1	183.28	183.28
			55-231	55 gallon	1	1859.11	1859.11
SFF-10 AL (Water Soluble)	▲	Alkaline exterior train and bus body cleaner.	55-006	5 gallon	1	176.85	176.85
			55-008	55 gallon	1	1859.11	1859.11
Fiber Glass Sheen		Restores luster to fiber glass.	56-200	24 oz spray	12	6.80	81.60
Windshield Wash Fluid		Premium winter grade wash fluid	02-110	1 gallon	4	6.26	25.05
			02-111	55 gallon	1	287.02	287.02
Glass Like New	▲	Ammonia free industrial glass clnr.	02-150	16 oz aerosol	12	6.14	73.66
Glass Cleaner		Professional formula.	02-100	quart spray	12	4.46	53.54
			02-101	1 gallon	4	8.52	34.09
Kymcare	▲	Water soluble cleaner. Good on tiles, floors, counters, etc.	55-056	1 gallon	4	30.25	120.98
			55-002	5 gallon	1	99.92	99.92
			55-010	55 gallon	1	999.23	999.23
Kymcare "Plus"	▲	Water soluble, heavy duty cleaner for parts and buildings	55-055	1 gallon	4	40.68	162.71
			55-001	5 gallon	1	194.12	194.12
			55-019	55 gallon	1	1122.31	1122.31
Green Clean	▲	All-purpose cleaner/degreaser for public areas.	55-059	1 gallon	4	18.94	75.75
			55-043	5 gallon	1	92.51	92.51
			55-045	55 gallon	1	928.46	928.46
Mo Clean (Water Soluble)	▲	Traction motor cleaner.	55-038	5 gallon	1	90.05	90.05
			55-041	55 gallon	1	938.12	938.12
Metal Clean		Hard surface unpainted metal cleaner (Not for Aluminium or soft metals)	70-209	1 gallon	4	21.54	86.15
			70-210	5 gallon	1	92.77	92.77
Boggy Clean	▲	Concentrated grease cleaner.	55-050	5 gallon	1	77.12	77.12
			55-071	55 gallon	1	774.62	774.62
Paint & Graffiti Strip		Heavy duty industrial paint remover.	55-027	1 gallon	4	41.38	165.54
			55-028	5 gallon	1	217.88	217.88
			55-039	55 gallon	1	2170.69	2170.69
Paint Off #3		Water Soluble paint stripper. Thick viscosity prevents dripping.	55-066	1/2 gal.	4	37.95	151.82
			55-067	5 gallon	1	380.31	380.31
Paint Remover	▲	Removes oil, acrylic & water based paints.	55-030	5 gallon	1	155.22	155.22
			55-029	55 gallon	1	1561.15	1561.15
Paint Remover Additive	▲	Very effective paint strip booster.	55-044	5 gallon	1	110.14	110.14
White Brite		Heavy duty hard surface cleaner. For painted & unpainted metal surfaces.	70-212	1 gallon	4	30.03	120.12
			70-213	5 gallon	1	134.31	134.31
Renew		Super concentrated ceramic cleaner and rust remover.	70-199	24 oz spray	12	7.37	88.43
			70-198	1 gallon	4	22.63	90.52
			70-200	5 gallon	1	107.35	107.35
			70-202	55 gallon	1	1073.54	1073.54

Product Name	Bio-safe	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
Renew Concentrate	▲		70-201	5 gallon	1	99.72	99.72
Renew Cream		Remove rust and oily grime. Multi-purpose hard surface cleaner	70-226	5 gallon	1	150.46	150.46
		Great for tiled horizontal surface	70-227	55 gallon	1	1507.69	1507.69
Grease Away	▲	Water soluble, low odor power cleaner.	55-130	quart spray	12	10.20	122.40
			55-131	1 gallon	4	20.75	83.02
			55-132	5 gallon	1	106.03	106.03
			55-133	55 gallon	1	1091.48	1091.48
Sky Blue		Removes rust, cleans and shines stainless steel. Gel consistency	70-204	1 gallon	4	20.58	82.34
			70-205	5 gallon	1	75.77	75.77

Transportation

Engine, Car & Truck Body Cleaners

Grease Gone		Engine and mechanical parts cleaner.	05-059	5 gallon	1	110.85	110.85
			05-062	55 gallon	1	753.92	753.92
Steam Away		Water-based steam cleaner.	05-061	55 gallon	1	805.07	805.07
Multi Clean	▲	Cleans and brightens chrome, stainless steel and aluminum.	05-065	5 gallon	1	56.83	56.83
			05-066	55 gallon	1	748.26	748.26
Car Wash Detergent	▲	Formulated detergent that has been used for over thirty years.	05-063	5 gallon	1	55.89	55.89
			05-064	55 gallon	1	561.54	561.54
Degrease 40+	▲	Low foaming degreaser.	05-060	55 gallon	1	899.78	899.78
Truck Wash Detergent for Painted Bodies		Designed specifically for truck washes with painted bodies requiring care.	05-075	1 gallon	4	69.23	276.92
			05-077	55 gallon	1	607.69	607.69
Aluminum & Stainless Steel Truck Cleaner	▲	Cleaner designed for unpainted aluminum & stainless steel truck bodies.	05-078	1 gallon	4	73.22	292.86
			05-080	55 gallon	1	873.58	873.58

Train & Bus Body Cleaners

SFF-10 TB	▲	Water soluble, heavy duty exterior train and bus cleaner. Removes iron dust from body.	55-226	1 gallon	4	38.55	154.22
			55-227	5 gallon	1	183.28	183.28
			55-228	55 gallon	1	1859.11	1859.11
SFF-10	▲	Water soluble, neutral pH, exterior train and bus body cleaner.	55-230	5 gallon	1	183.28	183.28
			55-231	55 gallon	1	1859.11	1859.11
SFF-10 AL	▲	Water soluble, alkaline exterior aluminum train and bus body cleaner.	55-006	5 gallon	1	176.85	176.85
			55-008	55 gallon	1	1859.11	1859.11
Stainless Steel Train Cleaner	▲	HD cleaner for stainless steel trains.	70-217	5 gallon	1	123.51	123.51

Vinyl & Leather Interior Cleaner

Vinyl Armor		Protects and conditions vinyl, rubber and plastics.	71-048	32 oz w/spray	12	7.66	91.94
			71-049	1 gallon	4	23.45	93.78
			71-050	5 gallon	1	113.85	113.85
			71-051	55 gallon	1	867.01	867.01

Indoor Air Quality

Sweet Air Powder	▲	Pleasant cherry scent, absorbs oil and neutralizes odors Available in powder or pellets.	60-620	16 oz	12	8.23	98.77
			60-623	5 gallon	1	93.89	93.89
			60-622	55 gallon	1	938.88	938.88
Sweet Air Pellets	▲	Cherry scented pellets designed to neutralize all fuel odors and more.	60-619	1.5 lb	12	7.09	85.11
			60-624	33 lb	1	85.57	85.57
Odor Bomb Combo Pack	▲	3 ea of Cherry, Orange, Mint, & Pure Air Bomb	60-635	8 oz gel cup	1	85.62	85.62

Tire & Car Wash Cleaners

Clean King	▲	Water soluble cleaner. Cleans car wash walls & floors. Ideal for hundreds of other cleaning apps.	70-101	1 gallon	4	17.98	71.94
			70-102	5 gallon	1	85.69	85.69
			70-103	55 gallon	1	648.08	648.08
HD Drying & Rinse Aid	▲	Premium, fast breaking drying agent. Speed dries 20,000 cars.	05-069	5 gallon	1	99.92	99.92
			05-070	55 gallon	1	837.23	837.23
Tire Rim Cleaner, Non Acid	▲	Heavy duty, non-acid concentrated clnr for tire rims. Over 30 years of use.	71-108	5 gallon	1	40.31	40.31
			71-110	55 gallon	1	371.46	371.46
Tire Rim Cleaner, Acid	▲	Acidic, concentrated formula for hard to clean tire rims.	71-105	5 gallon	1	43.78	43.78
			71-104	55 gallon	1	394.09	394.09
HD Tire Rim Cleaner, Acid		Heavy duty, acid, concentrated formula.	71-109	55 gallon	1	451.00	451.00

Tire Shine Products

Tire Dressing Protectant - Standard All Season Grade		Solvent-based, industrial standard, rubber & vinyl protectant.	71-095	1 gallon	4	27.48	109.91
			71-098	5 gallon	1	114.95	114.95
			71-100	55 gallon	1	873.58	873.58
Tire Dressing Protectant - HD All Season Grade		Silicone based rubber & vinyl protectant. VOC compliant. Leaves a lasting shine.	71-099	5 gallon	1	125.52	125.52
			71-101	55 gallon	1	956.34	956.34
Tire Dressing Protectant - Winter Grade		Solvent-based. Fast drying formula for cold weather. Lessens slippery footing.	71-097	5 gallon	1	110.35	110.35
			71-102	55 gallon	1	827.60	827.60
Tire Dressing Protectant - Deluxe Grade		Solvent-based, Extra silicone for shine. Recommended for hot weather.	71-096	5 gallon	1	128.74	128.74
			71-103	55 gallon	1	993.12	993.12

Product Name	Bio-safe ▲	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
--------------	---------------	-------------	-----------	------	------------------	-----------------	-------------------

Exterior Surface Solutions

Masonry Cleaners

Muriatic Acid 20°	▲	Fast acting, highest concentration of	56-108	1 gallon	4	12.60	50.40
		Muriatic Acid on the market for the	56-107	5 gallon	1	58.55	58.55
		professional.	56-109	55 gallon	1	521.37	521.37
Muriatic Acid 20%	▲	Designed to clean concrete, metal & tiles.	56-112	1 gallon	4	9.43	37.72
		Fast acting for professionals.	56-113	5 gallon	1	41.58	41.58
			56-114	55 gallon	1	434.89	434.89
No Run	▲	Removes excess mortar and	56-115	1 gallon	4	13.45	53.78
		dirt from masonry, concrete.	56-116	5 gallon	1	65.45	65.45
Renew	▲	Heavy duty, low acid cleaner.	70-199	quart spray	12	7.37	88.43
		Removes rust, dirt, oil, grease	70-198	1 gallon	4	22.63	90.52
		and grime.	70-200	5 gallon	1	107.35	107.35
White Brite	▲	Heavy Duty stain remover & brightener.	70-212	1 gallon	4	30.03	120.12
		Removes iron, rust and most types of stains	70-213	5 gallon	1	134.30	134.30
		from hard wall exterior surfaces.	70-216	55 gallon	1	1390.11	1390.11
Revive	▲	No foam low-acid cleaner & brightener.	70-230	5 gallon	1	99.23	99.23
Refresh	▲	Foaming, low-acid cleaner&brightener.	70-235	5 gallon	1	107.62	107.62
Water Repellant Finish Remover	▲	The only effective cleaner designed	55-100	24 oz spray	12	8.78	105.42
		specifically to remove water repellant	55-102	1 gallon	4	29.43	117.72
		finished from surfaces.	55-103	5 gallon	1	142.62	142.62
Powdered Concrete Cleaner	▲	Cleans concrete & masonry	05-072	5 gallon	1	57.00	57.00
		floors.	05-073	55 gallon	1	517.51	517.51

Masonry & Metal Cleaners

Sky Blue	▲	Removes rust, cleans and shines	70-204	1 gallon	4	20.58	82.34
		stainless steel. Gel consistency.	70-205	5 gallon	1	75.77	75.77
Renew Cream	▲	No drip, multi-purpose cleaner	70-226	5 gallon	1	150.46	150.46
		for horizontal surfaces & tiles.	70-227	55 gallon	1	1507.69	1507.69

Paint Removers

Paint & Graffiti Strip	▲	Heavy duty industrial paint	55-027	1 gallon	4	41.38	165.54
		remover.	55-028	5 gallon	1	217.88	217.88
			55-039	55 gallon	1	2170.69	2170.69
Paint Remover	▲	Removes oil, acrylic & water	55-030	5 gallon	1	155.22	155.22
		based paints.	55-029	55 gallon	1	1561.15	1561.15
Paint Off #3	▲	Water Soluble paint stripper.	55-066	1/2 gallon	4	37.95	151.82
		Thick viscosity prevents dripping.	55-067	5 gallon	1	380.31	380.31
Paint Remover Additive	▲	Very effective paint strip booster.	55-044	5 gallon	1	110.14	110.14
Real Kill	▲	Wasp & hornet killer spray	90-380	15 oz aerosol	12	8.82	105.78

Personal Protection Products

Hand Sanitizers

Gel Hand Sanitizer	▲	Gel formula hand sanitizer in bottle with dispenser cap. FDA approved.	03-099	4 oz	24	3.22	77.17
Liquid Hand Sanitizer	▲	Original, 70% Isopropyl liquid. FDA	03-100	8 oz	24	3.98	95.63
		approved. Dispenser Cap.					
		Gallon jug with cap closure. Pump	03-102	1 gallon	4	55.31	221.23
		offered when available.					

Hand Cleaners

Quick Clean Cream	▲	Heavy duty citrus gel, waterless	50-224	16 oz w/spout	12	6.54	78.46
		hand cleaner.	50-225	1 gallon w/Pump	4	26.08	104.31
Quick Clean Pumice	▲	Quick clean with pumice for added	50-226	16 oz w/spout	12	6.34	76.06
		hand scrubbing power.	50-227	1 gallon w/Pump	4	27.62	110.46

Personal Face Masks

Pack of 10 Surgical Masks		Reduce spread of germs from	00-299	10 pc. Box	1	29.23	29.23
Box of 50 Surgical Masks		mouth and nose. Standard blue color	00-298	50 pc. Box	1	76.15	76.15
Case of 500 Masks		surgical masks in 10 sanitized packs	00-300	500 pc. Box	1	684.62	684.62
Master Carton of 3000 Masks			00-301	3000 pc. Box	1	4107.69	4107.69

Disinfectant

Disinfectant Spray (Aerosol)		EPA registered. Effective against	03-095	17 oz aerosol	12	8.54	102.46
		COVID-19 and 99.9% of germs.					
		For hard surfaces. Lemon scented.					
Disinfectant Spray (Aerosol)		Country fresh scented disinfectant spray.	03-096	17 oz aerosol	12	8.54	102.46

Product Name	Bio-safe	Description	Stock No.	Size	Units/ Carton	List Each \$	List Carton \$
--------------	----------	-------------	-----------	------	---------------	--------------	----------------

Terms & Conditions

1. **Terms:** Net due in 30 days on approved accounts only. Invoice not paid within 30 days is considered delinquent. No cash discount on discounted product prices.
2. **Wholesale pickup allowance:** 3% discount off of the total invoice from College Point plant only.
3. **Case quantities:** All products will be shipped in full case quantities only, unless previously negotiated.
4. **Shortages:** Any shortage in original cartons will be made good by ComStar with proper documentation and proof.
5. **Damages and shortages on delivery:** All damages and shortages at time of delivery must be noted on the freight bill or bill of lading. We cannot honor any claims if not properly noted on paperwork.
6. **Return policy:** ComStar will issue full credit on products returned due to defective manufacturing. No product will be accepted for return without prior investigation and authorization from ComStar. A 15% restocking charge will apply on all non-defective merchandise returned in full cases only.
- 6 a. **Hazardous products** cannot be returned unless the receiver has a hazmat shipping license.
7. **Safety Data Sheets:** SDS are available at www.comstarproducts.com.
8. **Credit card payments are accepted.** Orders received via website or email will be confirmed via email or phone. Please call customer service direct at 1-800-328-0142 or email orders to orders@comstarproducts.com.

Shipping Terms

SHIPPING RATES: Due to carrier rate changes on full and half truckloads of products, we cannot guarantee shipping costs until the day before the order is shipped. Kindly call for rates. We will do our best to provide the lowest possible price for shipments.

ORDER SIZE	REGION 1	REGION 2
\$1,900	FREE FREIGHT	CHARGE FREIGHT
\$2,100	FREE FREIGHT	5% DISCOUNT
\$5,000	FREE FREIGHT	8% DISCOUNT
\$7,500	FREE FREIGHT	FREE FREIGHT

Note: For orders with discounted prices, increase order size by 15% to qualify for free freight.

REGION 1: East of Mississippi River, plus St. Louis and Little Rock, AR. North of Washington D.C.

REGION 2: West of Region 1 and South of Washington D.C.

NOTE: Alaska and Hawaii - freight allowance applies as far as West Coast. For international orders, please call our office for rates.

GUARANTEE: All ComStar products are manufactured to the highest standard and guaranteed to work as stated. If a product does not perform, we will issue a credit or replace with merchandise of equal value. Please note: plastic pipe cements and furnace cement have a one year shelf life.

Buyer and seller agree to an arbitration hearing to settle all disputes.

PRICES: Due to fluctuating market conditions affecting chemical prices, some products prices will change accordingly.