

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



1. Identification

1.1. Product identifier

Product Identity

CF - 40

Alternate Names

90-504, CF-40 is a Cascade System Internal Coil Cleaner- 5 gallon

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

It is designed to clean the interior coils of cascade and super low temp systems with complex lines.

Application Method

Read all precautions and instructions carefully before and after use.

1.3. Details of the supplier of the safety data sheet

Company Name

ComStar International Inc.
20-47, 128th Street,
College Point, NY 11356

Telephone No.

718-445-7900
800-328-0142
Fax: 718-353-5998

Emergency 24 HR response No: 1-800-424-9300 & 703-527-3887 CHEMTREC

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please direct all other inquiries to our customer service phone number.

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.1. Classification of the substance or mixture

Skin Corrosion/ Irrit. 2; H315 Causes skin corrosion/irritation.

Serious Eye Damage/Eye Irrit. 2; H319 Causes serious eye damage/irritation.

Skin Sensitization 1; H317 May cause an allergic skin reaction

Germ Cell Mutagenicity. 2; H341 Suspected of causing genetic defects

Carcinogenicity 1 A; H350 May cause cancer

STOT SE 3; H336

Target Organs- (CNS) central Nervous System May cause drowsiness or dizziness

Aquatic Chronic 2; H411 Toxic to aquatic life with long lasting effects.

Specific target organ toxicity - (repeated exposure) Specific target organ toxicity, repeated exposure

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



Target Organs - Kidney,
Liver, Heart, spleen, Blood
2; H373

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction

H336 May cause drowsiness and dizziness.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H411 Toxic to aquatic life with long lasting effects.

H373 May cause damage to organs through prolonged or repeated exposure

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P262 Do not get in eyes, on skin, or on clothing. Contaminated work clothing should not be allowed

P264 Wash face, hands and any exposed skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection. Use personal protective equipment as required

[Response]:

P301+310 If swallowed: Immediately call a poison center or doctor / physician.

P302+352 If on skin: Wash with plenty of soap and water.

P304+312 If inhaled: Call a poison center or doctor / physician if you feel unwell.

P305+351+338 If in eyes: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P321 Specific treatment (see information on this label).

P331 Do not induce vomiting.

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



P332+313 If skin irritation occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

[Storage]:

P403+233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410 Protect from sunlight.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

WARNING. Cancer and Reproductive Harm - <https://www.p65warnings.ca.gov/>

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|------------------------------------|----------|--|-------|
| TRICHLOROETHYLENE CAS#: 79-01-6 | 100 | Carc. 1B; H350 Muta. 2; H341 Eye Irrit. 2; H319 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Chronic 3; H412 | |
| | | | |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person. Show this safety data sheet to the doctor in attendance

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



| | |
|------------------|--|
| Eyes | Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention. |
| Skin | Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Immediate medical attention is required. |
| Ingestion | If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------------|--|
| Overview | May cause allergic skin reaction. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |
| Inhalation | May cause drowsiness or dizziness. |
| Eyes | Causes serious eye irritation. |
| Skin | Causes skin irritation. |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media

No information available

Flash Point

No information available

Method -

No information available

Autoignition Temperature

410 °C / 770 °F

Explosion Limits

Upper

44.8 vol %

Lower

8 vol %

Oxidizing Properties

Not oxidizing

Sensitivity to Mechanical Impact

No information available

Sensitivity to Static Discharge

No information available

5.2. Special hazards arising from the substance or mixture

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



Thermal decomposition can lead to release of irritating gases and vapors. Containers may explode when heated. Keep product and empty container away from heat and sources of ignition.

5.3. Hazardous Combustion Products

Chlorine. Phosgene. Carbon monoxide (CO). Carbon dioxide (CO₂). Hydrogen chloride gas.

5.4. Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 2 | 1 | 0 | N/A |

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. Handling and storage

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from light. Do not store in aluminum containers. Incompatible Materials. Strong oxidizing agents. Strong bases. Amines. Alkali metals. Metals. .

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|---------|------------|--------|-------|
|---------|------------|--------|-------|

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



| | | | |
|---------|-------------------|------------------------|---|
| 79-01-6 | TRICHLOROETHYLENE | OSHA | (Vacated) TWA: 50 ppm (Vacated) TWA: 270 mg/m3 Ceiling: 200 ppm (Vacated) STEL: 200 ppm (Vacated) STEL: 1080 mg/m3 TWA: 100 ppm |
| | | ACGIH | TWA: 10 ppm STEL: 25 ppm |
| | | NIOSH | IDLH: 1000 ppm |
| | | MEXICO OEL (TWA) | TWA: 10 ppm STEL: 25 ppm |
| | | Supplier | No Established Limit |

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|---------|-------------------|--------|---|
| 79-01-6 | TRICHLOROETHYLENE | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: Yes |
| | | IARC | Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

8.2. Exposure controls

Eyes/face protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin/body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Engineering Controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc. Recommended Decontamination Facilities: Eye bath, washing facilities.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

| | |
|--|---|
| Appearance | Clear Liquid |
| Odor | Mild perfumed |
| Odor threshold | No information available |
| pH | No information available |
| Melting point / freezing point | -85 °C / -121 °F |
| Initial boiling point and boiling range | 87 °C / 188.6 °F |
| Flash Point | No information available |
| Evaporation rate (Ether = 1) | 0.69 (Carbon Tetrachloride = 1.0) |
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: 8 vol % Upper Explosive Limit: 44.8 vol % |
| Vapor pressure (Pa) | 77.3 mbar @ 20 °C |
| Vapor Density | 4.5 (Air = 1.0) |
| Specific Gravity | 1.460 |
| Solubility in Water | Insoluble in water |
| Partition coefficient n-octanol/water (Log Kow) | Not Measured |
| Auto-ignition temperature | 410 °C / 770 °F |
| Decomposition temperature | > 120°C |
| Viscosity (cSt) | 0.55 mPa.s (25°C) |
| Molecular Formula | C2 H Cl3 |
| Molecular Weight | 131.39 |
| Volatiles (% by weight) | Not Measured |
| Octanol/Water Partition Coefficient | Not Measured |

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Light sensitive.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to light. Exposure to moist air or water.

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



10.5. Incompatible materials

Strong oxidizing agents, Strong bases, Amines, Alkali metals, Metals,

10.6. Hazardous decomposition products

Chlorine, Phosgene, Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride gas

10.7. Hazardous Polymerization

Hazardous polymerization does not occur.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------|-------------------------|----------------------------------|--------------------------|
| Trichloroethylene | LD50 = 4920 mg/kg (Rat) | LD50 = 29000 mg/kg (Rabbit) | LC50 = 26 mg/L (Rat) 4 h |

Toxicologically Synergistic Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes and skin

Sensitization May cause sensitization by skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|-------------------|---------|---------|-------|-------|------|--------|
| Trichloroethylene | 79-01-6 | Group 1 | Known | A2 | X | A2 |

IARC (International Agency for Research on Cancer) IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans NTP: (National Toxicity Program)

NTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects

Mutagenic effects have occurred in humans.

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



| | |
|---|--|
| Reproductive Effects | No information available. |
| Developmental Effects | No information available. |
| Teratogenicity | No information available. |
| STOT - single exposure | Central nervous system (CNS) |
| STOT - repeated exposure | Kidney Liver Heart spleen Blood |
| Aspiration hazard | No information available |
| Symptoms /effects, both acute and delayed | Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |
| Endocrine Disruptor Information | No information available |
| Other Adverse Effects investigated. | The toxicological properties have not been fully investigated. |

12. Ecological information

12.1. Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not empty into drains. The product contains following substances which are hazardous for the environment. Contains a substance which is: Harmful to aquatic organisms. Toxic to aquatic organisms.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-------------------|---|---|---|--------------------------------------|
| Trichloroethylene | EC50: = 175 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: = 450 mg/L, 96h (Desmodesmus subspicatus) | LC50: 31.4 - 71.8 mg/L, 96h flow-through (Pimephales promelas) LC50: 39 - 54 mg/L, 96h static (Lepomis macrochirus) | EC50 = 0.81 mg/L 24 h EC50 = 115 mg/L 10 min EC50 = 190 mg/L 15 min EC50 = 235 mg/L 24 h EC50 = 410 mg/L 24 h EC50 = 975 mg/L 5 min | EC50: = 2.2 mg/L, 48h(Daphnia magna) |

12.2. Persistence and degradability

Persistence is unlikely based on information available.

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

Will likely be mobile in the environment due to its volatility.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

| Component | log Pow |
|-----------|---------|
|-----------|---------|

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



| | |
|-------------------|-----|
| Trichloroethylene | 2.4 |
|-------------------|-----|

13. Disposal considerations

13.1. Waste treatment methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes |
|-----------------------------|------------------------|------------------------|
| Trichloroethylene - 79-01-6 | U228 | - |

14. Transport Information

DOT

UN-No UN1897
Proper Shipping Name TRICHLOROETHYLENE Limited quantity (each not exceeding 1 L capacity).
Hazard Class 6.1
Packing Group III

TDG

UN-No UN1897
Proper Shipping Name TRICHLOROETHYLENE Limited quantity (each not exceeding 1 L capacity).
Hazard Class 6.1
Packing Group III

IATA

UN-No UN1897
Proper Shipping Name TRICHLOROETHYLENE Limited quantity (each not exceeding 1 L capacity).
Hazard Class 6.1
Packing Group III

IMDG/IMO

UN-No UN1897
Proper Shipping Name TRICHLOROETHYLENE Limited quantity (each not exceeding 1 L capacity).
Hazard Class 6.1
Packing Group III

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-----------|--------|------|---|-----------------------------|
|-----------|--------|------|---|-----------------------------|

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



| | | | | |
|-------------------|---------|---|--------|-----|
| Trichloroethylene | 79-01-6 | X | ACTIVE | R;S |
|-------------------|---------|---|--------|-----|

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X – Listed

'-' - Not Listed

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

TSCA 12(b) - Notices of Export

| Component | CAS No | TSCA 12(b) - Notices of Export |
|-------------------|---------|--------------------------------|
| Trichloroethylene | 79-01-6 | Section 5 Section 6 |

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|-------------------|---------|-----|------|-----------|-------|------|------|------|-------|------|
| Trichloroethylene | 79-01-6 | X | - | 201-167-4 | X | X | X | X | X | X |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313

| Component | CAS No | Weight % | SARA 313 – Threshold Values % |
|-------------------|---------|----------|-------------------------------|
| Trichloroethylene | 79-01-6 | >95 | 0.1 |

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-------------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Trichloroethylene | X | 100lb | X | X |

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|-------------------|-----------|-------------------------|-------------------------|
| Trichloroethylene | X | | - |

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|-------------------|--------------------------|----------------|
| Trichloroethylene | 100 lb 1 lb | - |

California Proposition 65 This product contains the following Proposition 65 chemicals.

| Component | CAS No | California Prop. 65 | Prop 65 NSRL | Category |
|-------------------|---------|--|---------------------|-----------------------------|
| Trichloroethylene | 79-01-6 | Carcinogen Developmental Male Reproductive | 14 µg/day 50 µg/day | Developmental Carcinogen |

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| Trichloroethylene | X | X | X | X | X |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
 DOT Marine Pollutant N
 DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico – Grade No information available

Authorisation/Restrictions according to EU REACH

| Component | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC1907/2006) article 59 – Candidate List of Substances of Very High Concern (SVHC) |
|-------------------|--|--|--|
| Trichloroethylene | Carcinogenic Category 1B Article 57 Application date: October 21, 2014 Sunset date: April 21, 2016 Exemption - None | Use restricted. See item 28. (See link for restriction details) Use restricted. See item 75. (See link for restriction details) | SVHC Candidate list - 201-167-4 -Carcinogenic, Article 57a |

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g., use in scientific research and development which includes routine analytics or use as intermediate.

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

Safety Data Sheet

CF - 40

SDS Revision Date:

11/01/2021



Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-------------------|---------|----------|------------------------------|---------------------------|--|
| Trichloroethylene | 79-01-6 | Listed | Not applicable | Not applicable | Not applicable |

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-------------------|---------|---|--|----------------------------|------------------------------------|
| Trichloroethylene | 79-01-6 | Not applicable | Not applicable | Not applicable | Annex I - Y45 |

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document