

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



1. Identification

1.1. Product identifier

Product Identity

FIBER GLASS SHEEN

Alternate Names

56-200, Blended Formula, Fiber Glass Sheen, Fiber Glass Cleaner-24 oz w/spray

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

It is used to restore luster to fiber glass, acrylic, plastic, PVC, ABS, polished marble, stainless steel, formica, and chrome.

Application Method

Read all precautions and instructions carefully before and after use.

1.3. Details of the supplier of the safety data sheet

Company Name

ComStar International Inc.
20-47 128th Street,
College Point, NY 11356

Telephone No.

718-445-7900
800-328-0142
Fax: 718-353-5998

Emergency 24 HR response No: 1-800-424-9300 & 703-527-3887 CHEMTREC

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please direct all other inquiries to our customer service phone number.

2. Hazard(s) identification

Classification of the chemical
Clear colorless liquid. Sweet odor.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Flammable Liquid - Category 4
Acute Toxicity, inhalation - Category 3 (mist)
Acute toxicity, dermal - Category 3
Acute toxicity, oral - Category 4
Skin Irritation - Category 2
Serious eye damage/eye irritation - Category 2A

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



Warning

Hazard statement(s)

Combustible liquid.
Toxic if inhaled.
Toxic in contact with skin.
Harmful if swallowed.
Causes serious eye irritation.
Causes skin irritation.

Precautionary statement(s)

Avoid breathing mist or vapours.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/clothing and eye/face protection.
If on skin: Wash with plenty of soap and water.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs, get medical advice/attention.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
Call a poison center or doctor/physician if you feel unwell.
If swallowed: Call a poison center/doctor if you feel unwell.
Rinse mouth.
In case of fire: Use water fog, dry chemical, CO₂ or 'alcohol' foam to extinguish.
Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up

Dispose of contents/container in accordance with local/regional/national/international regulations.

Precautionary statement(s)

Other hazards:

Other hazards which do not result in classification:
Burning produces obnoxious and toxic fumes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
BUTYL CELLOSOLVE, CAS#: 111-76-2	<5	Skin Irrit. 2; H315 Eye Irrit. 2A; H319	
ISOPROPANOL CAS#: 67-63-0	<5	Eye irrit 2; H319 Flam Liquids 2; H225 Specific target organ toxicity - single exposure 3; H335	
D-LIMONENE CAS#: 5989-27-5	<2	Flam liq 3; H226 Skin Irri 2; H315 Skin Sens 1; H317 Asp Tox 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	
AMMONIA CAS#: 7664-41-7	<2	Gases under press; H280 Acute tox, Inhal. 3; H331 Skin Corr.1B; H314 Serious eye dam. 1 H318 Short term acute aqu haz.1; H400 Long term chro qua haz. 2; H411	
SURFACTANT PACKAGE CAS#: N/A	<5	Not Classified	
WATER	Balanced	Not Classified	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	If inhaled: Remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Call a poison center or doctor/physician if you feel unwell.
Eyes	For eye contact, flush with running water for at least 15 minutes. If eye irritation persists: get medical advice/attention.
Skin	If on skin: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash before re-use.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



Toxic in contact with skin. Toxic if inhaled. Causes skin irritation. Harmful if swallowed. Contact may cause redness, swelling and a painful sensation. Causes serious eye irritation. Symptoms may include tearing, redness and discomfort. May cause respiratory irritation. May cause coughing and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard - material may cause lung inflammation or damage if it enters lungs through vomiting or swallowing. Inhaling high concentrations may cause central nervous system depression, with effects ranging from dizziness and headache to unconsciousness. Chronic overexposure to 2-butoxyethanol may cause liver, kidney and blood damage, based on animal data.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂); Dry chemical; Alcohol resistant foam; Water fog.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Combustible liquid and vapor. Vapour can travel considerable distance and flashback to a source of ignition. Vapours are heavier than air and collect in confined and low-lying areas. Vapour will form a flammable/explosive mixture with air between the upper and lower flammable limits. May form explosive peroxides.

Flammability classification (OSHA 29 CFR 1910.106)

Flammable liquid- Category 4

Hazardous combustion products

Carbon dioxide and carbon monoxide.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

Special fire-fighting procedures

Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from firefighting to enter drains or water courses. Dike for water control.

ERG Guide No. ---

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

6.2. Environmental precautions

Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply

6.3. Methods and material for containment and cleaning up

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use only non-sparking tools and equipment in the clean-up process. Absorb material with inert absorbent, and place into labelled containers for disposal. Contact the proper local authorities. Refer to Section 13 for disposal of contaminated material.

6.4. Special spill response procedures

Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements. US CERCLA Reportable quantity (RQ): None.

7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, open flames and hot surfaces. - No smoking. Use only non-sparking tools. Use explosion-proof electrical and ventilating equipment. Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store in cool/well-ventilated place. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking. Keep container tightly closed. May form explosive peroxides.

7.3. Incompatible materials

Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
111-76-2	BUTYL CELLOSOLVE,	OSHA	50 ppm(skin)
		ACGIH	20 ppm
		NIOSH	TWA 5 ppm (24 mg/m ³) [skin]
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
111-76-2	BUTYL CELLOSOLVE,	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



8.2. Exposure controls

Respiratory

If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

Eyes

Wear eye/face protection. Wear as appropriate: Tightly fitting safety goggles Other protective equipment: Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

Skin

Wear protective gloves/clothing. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Engineering Controls

Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Use explosion-proof equipment. In case of insufficient ventilation wear suitable respiratory equipment.

Other Work Practices

Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance	Clear Liquid
Odor	Ether like odor
Odor threshold	0.48 ppm
pH	Not Measured
Melting point / freezing point	-75°C (-103°F)
Initial boiling point and boiling range	171°C (339.8°F)
Flash Point	67°C (152.6°F)
Flashpoint (Method)	closed cup
Evaporation rate (Ether = 1)	0.1
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: 135°C(275°F): NA Upper Explosive Limit: 199°C(390°F): NA
Vapor pressure (Pa)	1.17 hPa
Vapor Density	(Air = 1) 4
Specific Gravity	0.90
Solubility in Water	Soluble. (900 g/l)
Other solubility(ies)	Soluble in most organic solvents.
Partition coefficient n-octanol/water (Log Kow)	0.81

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



Auto-ignition temperature	Not available.
Decomposition temperature	124.7°C (DSC)
Viscosity (cSt)	3.642 mm/2s@ 20°C
Volatiles (% by weight)	NA
Octanol/Water Partition Coefficient	NA

9.2. Other physical/chemical comments

Ignition temperature: 230°C (446°F)

Molecular Weight: 118.2 g/mol

10. Stability and reactivity

10.1. Reactivity

Not normally reactive. May form explosive peroxides.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur

10.4. Conditions to avoid

Avoid heat, open flames, sparks, static electricity and electrical equipment. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials. Avoid prolonged exposure to air. Prolonged storage. Do not allow evaporation to dryness.

10.5. Incompatible materials

Strong Oxidizers (e.g. Chlorine, Peroxides, etc.).

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
BUTYL CELLOSOLVE (111-76-2)	470 mg/kg	220 mg/kg	2.21 mg/L	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Information on likely routes of exposure:

Routes of entry inhalation: YES

Routes of entry skin & eye: YES

Routes of entry Ingestion: YES :

Routes of exposure skin absorption YES:

Potential Health Effects:

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



Sign and symptoms Inhalation: Harmful if inhaled. May cause respiratory irritation. Symptoms may include coughing and sneezing. Inhalation may cause headache, nausea and central nervous effects such as dizziness, coordination difficulties and unconsciousness. Could result in pulmonary edema (fluid accumulation).

Sign and symptoms ingestion: Harmful if swallowed. Ingestion can cause gastrointestinal irritation, nausea, and diarrhea. May be an aspiration hazard.

Sign and symptoms skin : This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Skin irritation. Category 2 Causes skin irritation. Toxic in contact with skin. May be absorbed and cause symptoms similar to those for inhalation.

Sign and symptoms eyes: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Eye damage/irritation Category 2A Causes serious eye irritation. Repeated exposure may cause skin dryness or cracking. Chronic overexposure to 2-butoxyethanol may cause liver, kidney and blood damage, based on animal data.:

Potential Chronic Health Effects

Mutagenicity: Not expected to be mutagenic in humans.

Carcinogenicity: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP. Reproductive effects & Teratogenicity: This product is not expected to cause reproductive or developmental effects.

Sensitization to material: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects: According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or repeated exposures.

Medical conditions aggravated by overexposure: Pre-existing skin, eye, respiratory and central nervous system disorders.

Synergistic materials: No information available.

Toxicological data: See below for toxicological data on the substance.

Acute Toxicity, inhalation - Category 3 (vapor) A

cute toxicity, dermal - Category 3

Acute toxicity, oral - Category 4

Toxicological data

See below for toxicological data on the substance.

Chemical name	LC50(4hr) inh, rat	LD50 (Oral, rat)	LD50 (Rabbit, dermal)
BUTYL CELLOSOLVE (111-76-2)	450 ppm (2.175 mg/L)	530 mg/kg	400-500 mg/kg

Other important toxicological hazards: None reported by the manufacturer.

12. Ecological information

12.1. Toxicity

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ecotoxicity: Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Do not allow material to contaminate ground water system. See the following tables for the substance's ecotoxicity data.

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Toxicity to Fish

Ingredient	96 hr. LC50 fish, mg/l	NOEC / 21 day	M Factor
BUTYL CELLOSOLVE (111-76-2)	1490 mg/L (Lepomis macrochirus)	>100 mg/L (Zebra fish)	None.

Toxicity to Daphnia

Ingredients	EC50 / 48h	NOEC / 21 day	M Factor
BUTYL CELLOSOLVE (111-76-2)	>835 mg/L (Daphnia magna)	100 (Daphnia magna)	None.

Toxicity to Algae

Ingredients	EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
BUTYL CELLOSOLVE (111-76-2)	> 911 mg/L/96hr (Green algae)	>286 mg/L (Green algae)	None

Persistence and degradability:

Readily biodegradable.

Bioaccumulation potential:

Not expected to bioaccumulate.

Ingredients	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
BUTYL CELLOSOLVE (111-76-2)	0.81 at 25 °C	0.97

Mobility in soil: No data is available on the product itself.

Other Adverse Environmental effects:

No data is available on the product itself

13. Disposal considerations

13.1. Waste treatment methods

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



Handling for Disposal: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

Methods of Disposal: Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user	No further information		

Special precautions for user: Appropriate advice on safety must accompany the package. Keep away from heat and open flames. - No smoking.

Environmental hazards: This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not available.

15. Regulatory information

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

Ingredients	TSCA Inventory	CERCLA Reportable Quantity (RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical Toxic Chemical de minimus Concentration
BUTYL CELLOSOLVE (111-76-2)	Yes	N/Ap	N/Ap	No N/Ap

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard; Immediate (Acute) health hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	California Proposition 65		State "Right to Know" Lists					
	Listed	Type of toxicity	CA	MA	MN	NJ	PA	RI
BUTYL CELLOSOLVE (111-76-2)	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

Canadian Environmental Protection Act (CEPA): All ingredients are present on the DSL.

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

International Information:

Components listed below are present on the following International Inventory list

Ingredients	CAS #	European EINE Cs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	China IECSC
BUTYL CELLOSOLVE	111-76-2	203-905-0	Present	Present	(7)-97; (2)-407	KE-04134	Present	HSR001154

16. Other information

Legend

- ACGIH: American Conference of Governmental Industrial Hygienists
- CA: California
- CAS: Chemical Abstract Services
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations
- CNS: Central Nervous System
- COC: Cleveland Open Cup
- CSA: Canadian Standards Association
- DOT: Department of Transportation
- EPA: Environmental Protection Agency
- HMIS: Hazardous Materials Identification System
- HSDB: Hazardous Substances Data Bank
- IARC: International Agency for Research on Cancer
- Inh: Inhalation
- LC: Lethal Concentration
- LD: Lethal Dose

Safety Data Sheet

FIBER GLASS SHEEN

SDS Revision Date:

12/01/2022



MA: Massachusetts
MN: Minnesota
N/Ap: Not Applicable
N/Av: Not Available
NFPA: National Fire Protection Association
NIOSH: National Institute of Occupational Safety and Health
NJ: New Jersey
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PA: Pennsylvania
PEL: Permissible exposure limit
RCRA: Resource Conservation and Recovery Act
RI: Rhode Island
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

References

1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016
2. International Agency for Research on Cancer Monographs, searched 2016
3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2016(Chempendium, HSDB and RTECS).
4. Material Safety Data Sheets from manufacturer.
5. US EPA Title III List of Lists - 2016 version.
6. California Proposition 65 List - 2016 version.
7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2016.

Other special considerations for handling:

Provide adequate information, instruction and training for operators.

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document