

Safety Data Sheet

PROFROST 70 STANDARD SERIES

SDS Revision Date: 12/12/2022



1. Identification

1.1. Product identifier

Product Identity

PROFROST 70 STANDARD SERIES

Alternate Names

35-816, Profrost 70 Standard Series, Propylene Glycol 70% Solution Ratio, Chiller, Anti-Freeze, Heat Transfer Fluid, with No color, No inhibitor- 55 gallon

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

It can be used near food, but not in direct contact. Pre-mixed formulas take the guesswork out of diluting for specific applications.

Application Method

Read all precautions and instructions carefully before and after use.

1.3. Details of the supplier of the safety data sheet

Company Name

ComStar International Inc.
20-47 128th Street,
College Point, NY 11356

Telephone No.

718-445-7900
800-328-0142
Fax: 718-353-5998

Emergency 24 HR response No: 1-800-424-9300 & 703-527-3887 CHEMTREC

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure, or accident. Please direct all other inquiries to our customer service phone number.

2. Hazard(s) identification

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

None required

Hazards not otherwise classified (HNOC)

None identified

3. Composition/information on ingredients

Ingredient/Chemical Designations	Weight %	GHS Classification
PROPYLENE GLYCOL CAS#:57-55-6	70	Not classified
De-IONIZED WATER CAS#: (N/A)	Balance	Not classified

Safety Data Sheet
PROFROST 70 STANDARD SERIES

SDS Revision Date: 12/12/2022



4. First aid measures

4.1. Description of first aid measures

Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. If not breathing, give artificial respiration.
Eyes	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Ingestion	Do not induce vomiting. Get medical attention immediately if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

Notes to Physician

Treat symptomatically

5. Fire-fighting measures

5.1. Suitable Extinguishing media

Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam

Unsuitable Extinguishing media

No information available

Flash Point

99 °C / 210

Method

No information

Autoignition Temperature

400 °C / 752 °

Explosion Limit

Upper 12.6 vol %

Lower 2.6 vol %

Sensitivity to Mechanical Impact

No information available

Sensitivity to Static Discharge

No information available

5.2. Special hazards arising from the substance or mixture

Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors

5.3. Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂)

Safety Data Sheet

PROFROST 70 STANDARD SERIES

SDS Revision Date: 12/12/2022



Protective Equipment and Precautions for Firefighter

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 2	Flammability 1	Instability 1	Physical hazards N/A
-------------	-------------------	------------------	-------------------------

6. Accidental release measures

6.1. Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed

7. Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Wear personal protective equipment/face protection

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Acids.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
57-55-6	PROPYLENE GLYCOL	OSHA	150 ppm
		ACGIH	150 ppm
		NIOSH	No Established Limit
		Supplier	No Established Limit
N/A	De-IONIZED WATER	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Safety Data Sheet

PROFROST 70 STANDARD SERIES

SDS Revision Date: 12/12/2022



Carcinogen Data

CAS No.	Ingredient	Source	Value
57-55-6	PROPYLENE GLYCOL	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
N/A	De-IONIZED WATER	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

- Engineering Measures** Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
- Respiratory** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirators, if exposure limits are exceeded or if irritation or other symptoms are experienced.
- Eyes/face protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166
- Skin/body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.
- Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance	Clear Liquid
Odor	Odorless
Odor threshold	Not Measured
pH	6.5-7.5 100g/l aq. sol
Melting point / freezing point	-60 °C / -76 °F
Initial boiling point and boiling range	187 °C / 368.6 °F
Flash Point	99 °C / 210.2 °F
Evaporation rate (Ether = 1)	No information available
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: 2.6 vol% Upper Explosive Limit: 12.6 vol%
Vapor pressure (Pa)	0.13 mbar @ 20 °C
Vapor Density	2.62 (Air = 1.0)
Specific Gravity	1.03-1.04

Safety Data Sheet

PROFROST 70 STANDARD SERIES

SDS Revision Date: 12/12/2022



Solubility in Water	Complete
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	400 °C / 752 °F
Decomposition temperature	Not Measured
Viscosity (cSt)	45 mPa.s at 20 °C
Molecular Formula	C3 H8 O
Molecular Weight	76.10

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

None known, based on information available.

10.2. Chemical stability

Hygroscopic.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to moist air or water.

10.5. Incompatible materials

Strong Oxidizing agents, Acids

10.6. Hazardous decomposition products

Hazardous polymerization does not occur.

10.7. Hazardous Reactions

None under normal processing.

11. Toxicological information

Ingredient	Oral LD50,	D LD50,	Inhalation LC50,
PROPYLENE GLYCOL (57-55-6)	20 g/kg Rat	20800 mg/kg Rabbit	No data available
De-IONIZED WATER (N/A)	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Safety Data Sheet

PROFROST 70 STANDARD SERIES

SDS Revision Date: 12/12/2022



Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Propylene glycol	57-55-6	Not listed	Not listed	Not listed	Not listed	Not listed

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
PROPYLENE GLYCOL (57-55-6)	EC50: = 19000 mg/L, 96h (Pseudokirchneriella subcapitata)	LC50: 41 - 47 mL/L, 96h static (Oncorhynchus mykiss) LC50: = 51400 mg/L, 96h static	= 710 mg/L EC50 Photobacterium phosphoreum 30 min	EC50: > 1000 mg/L, 48h Static (Daphnia magna)

Safety Data Sheet
PROFROST 70 STANDARD SERIES

SDS Revision Date: 12/12/2022



		(Pimephales promelas) LC50: = 51600 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 710 mg/L, 96h (Pimephales promelas)		
De-IONIZED WATER (N/A)	Not Available	Not Available	Not Available	Not Available

12.2. Persistence and degradability

Miscible with water Persistence is unlikely based on information available.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

Will likely be mobile in the environment due to its water solubility.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

Component	log Pow
PROPYLENE GLYCOL	-0.9

13. Disposal considerations

13.1. Waste treatment methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated

Safety Data Sheet

PROFROST 70 STANDARD SERIES

SDS Revision Date: 12/12/2022



14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user			
No further information			

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Propylene glycol	57-55-6	X	<u>Active</u>	--

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Propylene glycol	57-55-6	X	--	200-338-0	X	X	X	X	X	X

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulation

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable

Safety Data Sheet
PROFROST 70 STANDARD SERIES

SDS Revision Date: 12/12/2022



OSHA - Occupational Safety and Health Administration Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Propylene glycol	---	X	X	=	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
 DOT Marine Pollutant N
 DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight risk, Grade 1

Authorization/Restrictions according to EU REACH

Safety, health, and environmental regulations/legislation specific for the substance or mixture.

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Propylene glycol	57-55-6	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Propylene glycol	57-55-6	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet
PROFROST 70 STANDARD SERIES

SDS Revision Date: 12/12/2022



16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document