

Safety Data Sheet

TIRE DRESSING PROTECTANT- DELUXE GRADE

SDS Revision Date:

12/12/2022



1. Identification

1.1. Product identifier

Product Identity

TIRE DRESSING PROTECTANT- DELUXE GRADE

Alternate Names

71-103, Blended Formula, Tire Dressing Protectant-Deluxe Grade, Silicone Protectant for Rubber & Vinyl with Extra Silicone.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

Extra silicone formula for an extra long-lasting shine. Recommended for summer months. Solvent based.

Application Method

Read all precautions and instructions carefully before and after use.

1.3. Details of the supplier of the safety data sheet

Company Name

ComStar International Inc.
20-47 128th Street,
College Point, NY 11356

Telephone No.

718-445-7900
800-328-0142
Fax: 718-353-5998

Emergency 24 HR response No: 1-800-424-9300 & 703-527-3887 CHEMTREC

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure, or accident. Please direct all other inquiries to our customer service phone number.

2. Hazard(s) identification

2.1. Classification of the substance or mixture

WARNING! CAUSES EYE IRRITATION. MAY FORM EXPLOSIVE PEROXIDES.

HMIS Hazard Ratings: Health – 1, Flammability – 3, Chemical Reactivity – 0

NFPA Hazard Ratings: Health – 1, Flammability – 3, Chemical Reactivity – 0

NOTE: HMIS and NFPA ratings involve data and interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

(NOTE: VOC Compliant version is Flammability – 1)

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Safety Data Sheet

TIRE DRESSING PROTECTANT- DELUXE GRADE

SDS Revision Date:

12/12/2022



Ingredient/Chemical Designations	OSHA PEL	ACGIH TLV	CAS NO
SILICONE	500ppm	500ppm	63148-62-9
MINERAL SPIRITS	500ppm	500ppm	8032324
ISOPROPYL ALCOHOL (VOC COMPLIANT)	400 ppm	400 ppm	67-63-0

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	If symptomatic, move to fresh air. Get medical attention if symptoms persist.
Eyes	Immediately flush with plenty of water for at least 15 minutes. Get medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Get medical attention if symptoms occur.
Ingestion	Drink plenty of water. Get medical attention.

5. Fire-fighting measures

Extinguishing Media: Regular foam, carbon dioxide or dry chemical

Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Hazardous Combustion Products: Unknown

Unusual Fire and Exposure Hazards: Vapors are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat or flame.

6. Accidental release measures

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

7. Handling and storage

Personal Precautionary Measures: Avoid contact with eyes and skin. Wash thoroughly after handling.

Prevention of Fire and Explosion: Keep from contact with alkalis and acids.

Store away from heat, sunlight, and moisture.

Safety Data Sheet

TIRE DRESSING PROTECTANT- DELUXE GRADE

SDS Revision Date:

12/12/2022



8. Exposure controls and personal protection

8.1. Control parameters

Exposure Limits:

ACGIH Threshold Limit Value (TLV): see section II

OSHA (USA) Permissible Exposure Limit (PEL): see section II

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc.

Respiratory Protection: If engineering controls do not maintain airborne concentrations to an acceptable level, a NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to assure compliance with OSHA Standard 29 CFR 1910.134.

Eye Protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection: It is a good industrial hygiene practice to minimize skin contact.

Recommended Decontamination Facilities: Eye bath, washing facilities

9. Physical and chemical properties

Color	Cloudy
Odor	Cherry fragrance (fragrance optional)
Odor threshold	Not available
pH	Not Measured
Melting point	N/A
Boiling point	N/A
Flash Point	142°F (Non VOC) Non-Flammable (VOC Complaint)
Evaporation rate (n-butyl acetate= 1)	N/A
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: 135°C(275°F): NA Upper Explosive Limit: 199°C(390°F): NA
Vapor pressure (Pa)	70° F: N/A
Vapor Density	N/A
Specific Gravity (H2O = 1)	N/A
Solubility in Water	No
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	(ASTM D 2155): N/A
Decomposition temperature	Not Measured
Viscosity (cSt)	25°C (77°F): N/A
Volatiles (% by weight)	NA
Octanol/Water Partition Coefficient	NA

9.2. Other information

Safety Data Sheet

TIRE DRESSING PROTECTANT- DELUXE GRADE

SDS Revision Date:

12/12/2022



No other relevant information.

10. Stability and reactivity

Stability: Product is considered stable.

Incompatibility: strong acids or oxidizers

Hazardous Polymerization: not known to polymerize.

11. Toxicological information

Inhalation: Low hazard for usual industrial handling by trained personnel.

Eyes: May cause irritation.

Skin: Low hazard for usual industrial handling by trained personnel, see label warnings.

Ingestion: Non-toxic. Low health hazard

Acute Toxicity Data:

Oral LD-50 (rabbit): not available

Inhalation LC-50: not available

12. Ecological information

Introduction: Leaks should be stopped. Spills should be contained and cleaned up immediately.

Large liquid spills should be removed by using a vacuum truck. Solid spills should be scooped up and placed in approved containers for disposal. The spill area should then be flushed with water followed by liberal covering of sodium bicarbonate. All clean-up material should be removed and placed in approved containers, labeled and stored in a safe place to await proper treatment or disposal. Spills on areas other than pavement, e.g., dirt or sand, may be handled by removing the affected soils and placing in approved containers. Persons performing clean-up work should wear adequate personal protective equipment and clothing. Spills or releases should be reported, if required, to the appropriate local, state, and federal regulatory agencies.

13. Disposal considerations

13.1. Waste treatment methods

Discharge, treatment, or disposal may be subject to national, state, or local laws. Check with state and local officials before disposal.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated

Safety Data Sheet

TIRE DRESSING PROTECTANT- DELUXE GRADE

SDS Revision Date:

12/12/2022



14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user			
No further information			

15. Regulatory information

This document has been prepared in accordance with the MSDS requirements of the OSHA Hazard Communication Standard 29 CFR 910.1200.

OSHA hazardous chemical(s): trade secret (blended formula).

Material(s) known to the State of California to cause cancer: none

Material(s) known to the State of California to cause adverse reproductive effects: none

Massachusetts Substance List: none.

New Jersey Workplace Hazardous Substance List: none

Pennsylvania Hazardous Substance List: none

This document has been prepared in accordance with the MSDS requirements of the WHMIS Controlled Products Regulation.

WHMIS (Canada) Ingredient Disclosure List: trade secret (blended formula).

WHMIS (Canada) Status: not listed.

WHMIS (Canada) controlled material(s): not listed.

WHMIS (Canada) Hazard Classification: not classified.

Carcinogenicity Classification (components present at 0.1% or more): None

International Agency for Research on Cancer (IARC): Not listed

American Conference of Governmental Industrial Hygienist (ACGIH): Not listed

National Toxicology Program (NTP): not listed

Occupational Safety and Health Administration (OSHA): Not listed

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372: None.

SARA (U.S.A.) Sections 311 and 312 hazard classification(s): Not listed.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

Safety Data Sheet

TIRE DRESSING PROTECTANT- DELUXE GRADE

SDS Revision Date:

12/12/2022



The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document